



#2971



EZ-PEAK LIVE

12 AMP
NIMH/LIPO FAST CHARGER




Bluetooth
ENABLED FEATURES



#2890X
(SOLD SEPARATELY)

ONE CONNECTION DOES IT ALL!





TRAXXAS EZ-Peak LIVE

HIGH OUTPUT
12-AMP

ADVANCED PEAK DETECTION WITH iD

CHARGE STATUS

STORE FAST BALANCE LIPO CHARGE

LIPO NIMH BATTERY TYPE

iD

LIVE

START/STOP
PRESS AND HOLD
TO START



The image shows the front panel of a blue Traxxas EZ-Peak LIVE 12-amp charger. The panel is black with red and white accents. At the top, the Traxxas logo is in red and white, followed by 'EZ-Peak' in large white letters with a blue outline, and 'LIVE' in blue with a white outline. To the right of 'LIVE' is a 'HIGH OUTPUT 12-AMP' badge. Below the main title is the text 'ADVANCED PEAK DETECTION WITH iD'. The central control panel features a 'CHARGE STATUS' display with a vertical bar of green and yellow LEDs. To the left of this display are four buttons: 'STORE', 'FAST', 'BALANCE', and 'LIPO CHARGE', each with a small green LED indicator. Below these are two more buttons: 'LIPO' and 'NIMH', and a 'BATTERY TYPE' selector with a red indicator. To the right of the 'CHARGE STATUS' display is a large 'iD' logo. At the bottom center is a 'LIVE' logo, and at the bottom right is a 'START/STOP' button with the instruction 'PRESS AND HOLD TO START'.





TRAXXAS

iD

EZ-PEAK

LIVE





iD
Auto Battery
Identification

12 AMP
NiMH/LiPo FAST CHARGER

 **Bluetooth®**
ENABLED FEATURES



MENU

TRAXXAS **EZ-Peak**
LIVE

NOTIFICATIONS



	CHARGER NAME	CURRENT STATUS	EST. TIME REMAINING	BATTERY CONNECTED
	EZ-Peak Live #1	Balance Charging	12 min	iD 3S LiPo 5000 mAh
	EZ-Peak Live #2	Ready to Charge	-	iD 7-Cell NiMH 3300 mAh
	EZ-Peak Live #3	Charge Settings Required	-	Unknown
	EZ-Peak Live #4	Idle	-	None



MENU

TRAXXAS **EZ-Peak**
LIVE

NOTIFICATIONS



iD CHARGE SETTINGS

BATTERY: 5000mAh 11.1V 3-Cell 25C LiPo


CHARGE TYPE:

BALANCE

FAST

STORAGE

CHARGE RATE: 6.0A



EZ-Peak Live #1



CANCEL

DONE

HELP



☰ MENU

TRAXXAS EZ-PEAK LIVE

NOTIFICATIONS 

CHARGER NAME EZ-Peak Live #1

CHARGER STATUS Balance Charging: 37:56

CHARGING INFO

Charge Current: 6.0A
Voltage: 12.03v
Cell 1 Voltage: 4.00v
Cell 2 Voltage: 4.02v
Cell 3 Voltage: 4.01v



EST. TIME REMAINING
12 MIN

CHARGE PROGRESS
75%

mAh INPUT
3750

STOP CHARGING



FW. v3.36