





	NO LOAD		ON LOAD				LOAD TYPE
VOLTAGE	CURRENT	SPEED	CURRENT	Pull	Power	EEP	Battery/prop
V	A	rpm	A	g	W	%	
12	1.1	30600	3.3	200	39.6	5.1	LiPoX3/5X4X3
			8.5	400	102.0	3.9	
			19.6	750	235.2	3.2	
			3.1	200	37.2	5.4	LiPoX3/5X4X4
			8.1	400	97.2	4.1	
			20	810	240.0	3.4	
			3.6	200	43.2	4.6	LiPoX3/5X4.5X3
			9.1	400	109.2	3.7	
			26.6	880	319.2	2.8	
			3.1	200	37.2	5.4	LiPoX3/5045
			7.8	400	93.6	4.3	
			16.4	720	196.8	3.7	
			5.1	300	61.2	4.9	LiPoX3/6045
			12.3	600	147.6	4.1	
			25.4	1020	304.8	3.3	
16	1.2	40800	6.7	400	107.2	3.7	LiPoX4/5X4X3
			18.3	800	292.8	2.7	
			28.2	1120	451.2	2.5	
			6.4	400	102.4	3.9	LiPoX4/5X4X4
			16.4	800	262.4	3.0	
			28.5	1200	456.0	2.6	
			7.0	400	112.0	3.6	LiPoX4/5X4.5X3
			20.5	800	328.0	2.4	
			34.8	1150	556.8	2.1	
			6.3	400	100.8	4.0	LiPoX4/5045
			16.4	800	262.4	3.0	
			25.0	1150	400.0	2.9	









