



FMS







Wingspan	2000MM/78.7IN
Overall Length	1,304MM/51.3IN
Flying Weight	AROUND 3,800G
Motor Size	BRUSHLESS 4258-KV550
ESC	70A
Servo	6 X 17G METAL DIGITAL
Radio	6 CHANNEL
CG (center of gravity)	70-75MM (FROM LEADING EDGE)
Prop Size	15*9, 2 BLADES PROPELLER
Recommended Battery	LI-PO 22.2V 4000MAH
Wing Load	71.1G/Dm ²
Wing Area	53.4Dm ²

Multi-connector for easy installation

With the latest FMS multi-connect technology, we have streamlined the wiring system making it easier to install, eliminating wiring problems. Easier plane transport is facilitated by the new connectors that allow pilots to remove and replace wing set with just one step. All channels on each wing are brought together in one port. The customers can install the main wing set simply through inserting the port and then securing with four screws.



Scaled LED night lights

To make flying the Beaver more fun at night, there are 5 LED lights. Located in front of the main wing set and at the rear of the fuselage.



New technology lighter EP052 foam

The aileron and flap are to scale. The latest EP052 foam material as well as the hollow main wing greatly alleviates the airplane weight.



If you want to play something different

Additional options that can be purchased separately to modify your model are Electric Retracts and Floats. These Electric Retracts will make your model ready to tow banners and gliders. The Beavers high powered motor is ready to be put to the test of a water take off.

