












MOTOR TECHNICAL DATA:

	NO LOAD		ON LOAD				LOAD TYPE
VOLTAGE	CURRENT	SPEED	CURRENT	Pull	Power	EEP	Battery/prop
V	A	rpm	A	g	W	%	
12	1.6	31200	5.7	200	68.4	2.9	LiPox3/4045x3
			13.7	400	164.4	2.4	
			22.7	600	272.4	2.2	
			8	300	96.0	3.1	LiPox3/5045x3
			19.6	600	235.2	2.6	
			31	800	372.0	2.2	
			5.4	250	64.8	3.9	LiPox3/5040x3
			13.1	500	157.2	3.2	
			22.1	750	265.2	2.8	
			5.2	250	62.4	4.0	LiPox3/5040x4
			13	500	156.0	3.2	
			24.7	780	296.4	2.6	
			5	250	60.0	4.2	LiPox3/5045
			12.5	500	150.0	3.3	
			20.1	700	241.2	2.9	
16	1.7	41600	7.7	300	123.2	2.4	LiPox4/4045x3
			18.9	600	302.4	2.0	
			33.1	880	529.6	1.7	
			9.6	400	153.6	2.6	LiPox4/5045x3
			24.3	800	388.8	2.1	
			44.0	1140	704.0	1.6	
			7.8	400	124.8	3.2	LiPox4/5040x3
			22.5	800	360.0	2.2	
			32.7	1130	523.2	2.2	
			8.0	400	128.0	3.1	LiPox4/5040x4
			20.6	800	329.6	2.4	
			35.0	1140	560.0	2.0	
			5.0	300	80.0	3.8	LiPox4/5045
			13.5	600	216.0	2.8	
			29.0	1070	464.0	2.3	