

# TRX-4® Chevrolet® K10 High Trail Edition™ Model 92056-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1969 Chevrolet® Blazer)
3241	Axle housing, front	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
3242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		(includes grille, side mirrors, door handles, windshield wipers,
227	Axle mount set (complete) (front & rear) (for suspension links)		decals, window masks)
228	Axle shaft, front (left)/ drive pin/ cross pin	9112X	Body, Chevrolet Blazer (1969), complete (black) (includes grill,
229	Axle shaft, front (right)/ drive pin/ cross pin		side mirrors, door handles, windshield wipers, front & rear
060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	9125	bumpers, decals) Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
	portal drive input gear)	5125	drill bit (fits #9126 or #9127 front bumpers)
062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
220	(machined) (2) (assembled)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
230 231	Axle shaft, rear (left) Axle shaft, rear (right)	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
D61	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	6593	Distribution block, Pro Scale® Advanced Lighting Control
	rear (machined)		System
063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
	drive input gear)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	0400	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
256	Portal drive axle mount, rear (left & right)	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/ hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
	(left and right)/ 2.5x16 CS (4)		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	8090	LED light set, complete with power supply (contains headlights
	anodized) (left and right)/ 2.5x16 CS (4)		tail lights, side marker lights, & distribution block) (fits #9111 o
256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		9112 bodý)
DECD	anodized) (left and right)/ 2.5x16 CS (4)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)		(self-tapping) (8)
253	Portal drive housing, inner, rear (left or right) (2)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fi
251	Portal drive housing, outer (front or rear) (2)		#9112 body)
)64	Portal drive input gear, front (machined) (left or right) (requires	6592	Power module, Pro Scale® Advanced Lighting Control System
	#8060 front axle shaft)	6591	Pro Scale® Advanced Lighting Control System (includes powe module & distribution block)
257	Portal drive input gear, front/ drive pin/ cross pin	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6
259	Portal drive input gear, rear	9122	BCS (self-tapping) (4)
065	Portal drive input gear, rear (machined) (left or right) (requires		
	#8063 rear axle)		Body (1972 Chevrolet® Blazer)
258	Portal drive output gear, front or rear	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includ
252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		grille, side mirrors, side trim, door handles, windshield wipers,
	(2)/ 3x12 BCS (2)	9111X	decals, window masks) Body, Chevrolet Blazer (1972), complete (blue) (includes grille,
252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 3x12 BCS (2)	31117	side mirrors, door handles, windshield wipers, front & rear
252G	Portal housings, inner (front), 6061-T6 aluminum (green-		bumpers, decals)
2020	anodized) (2)/ 3x12 BCS (2)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)		drill bit (fits #9126 or #9127 front bumpers)
	(2)/ 3x12 BCS (2)	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)
253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)		lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
	(2)/ 2.5x10 CS (2)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
	anodized) (2)/ 2.5x10 CS (2)	6593	Distribution block, Pro Scale® Advanced Lighting Control
253G	Portal housings, inner (rear), 6061-T6 aluminum (green-		System
	anodized) (2)/ 2.5x10 CS (2)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
054V	(2)/ 2.5x10 CS (2)	0420	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9120	housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
251A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-		body)
291A	anodized) (2)/ 2.5x10 CS (12)	8090	LED light set, complete with power supply (contains headlights
251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/		tail lights, side marker lights, & distribution block) (fits #9111 o
2010	2.5x10 CS (12)		9112 body)
251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	9116	Marker light housing (4)/ marker light mount (4)/ marker light
	2.5x10 CS (12)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
255A	Stub axle, extended thread (portal drive) (2)		(self-tapping) (8)
267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)	9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fi
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)		#9111 body)
	Bearings & Bushings	6592	Power module, Pro Scale® Advanced Lighting Control System
1104		6591	Pro Scale® Advanced Lighting Control System (includes powe
19A	Ball bearings, black rubber sealed (10x15x4mm) (2)	0147	module & distribution block) Side trim Chavrolat Blazar (1972), left & right/ rear trim upper
20A	Ball bearings, black rubber sealed (12x18x4mm) (2)	9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper
1044	Ball bearings, black rubber sealed $(4x10x4mm)(2)$		lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body)
115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/
115A 116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)
115A 116A 114A	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x8x2.5mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)
104A 115A 116A 114A 117A 180A	Ball bearings, black rubber sealed (5x11x4mm) (2)	9119	

-	
	Body (1979 Chevrolet® Blazer)
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear
	bumpers, decals)
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes
	grille, side mirrors, door handles, windshield wipers, front & rear
	bumpers, decals)
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille,
	side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
3131	Decal sheet, Chevrolet Blazer (1979)
593	Distribution block, Pro Scale® Advanced Lighting Control
	System
132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/
404	retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body)
134	Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)
039	LED light set (contains headlights, tail lights, side marker lights,
	distribution block (fits #8130 body, requires #8028 power supply)
038	LED light set, complete with power supply (contains headlights,
	tail lights, side marker lights, distribution block, and power
	supply) (fits #8130 body)
133X	Mirrors, side (folding) (fits #8130 body)
133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 body)
592	Power module, Pro Scale® Advanced Lighting Control System
591	Pro Scale® Advanced Lighting Control System (includes power
	module & distribution block)
135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side
	marker lights (assembled) (2)/ side marker retainers (2)/ mounting
	tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 body)
	Body (1979 Chevrolet® K10 Truck)
226	Body cage (fits #9212 body)
28	Body mounts (front & rear)/ 3x10 BCS (7) (fits #9212 body)
212	Body, Chevrolet K10 Truck (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door
	handles, windshield wipers, clipless mounting, hardware)
	(requires #9288 inner fenders)
212X	Body, Chevrolet K10 Truck (1979), complete, black (painted)
	(includes grille, side mirrors, door handles, windshield wipers, &
	clipless mounting) (requires #9288 inner fenders)
212R	Body, Chevrolet K10 Truck (1979), complete, red (painted) (includes grille, side mirrors, door handles, windshield wipers, & clipless
	mounting) (requires #9288 inner fenders)
134	Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/
	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits
	#8130 or 9212 body)
262X	Roll bar (assembled with LED light bar)/ roll bar mounts, left & right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212
	high 2.5x12 BCS (sen-tapping) (4)/ 2.5x15 CS (2) (itts #9212 body)
262	Roll bar/ roll bar mounts, left & right/ 2.6x12 BCS (self-tapping)
	(4)/ 2.5x15 CS (2) (fits #9212 body)
135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side
	marker lights (assembled) (2)/ side marker retainers (2)/ mounting $(2)/4$ ( $x \in PCS$ (as f terming) (4)/2 ( $x \in PCS$ (3)/ (fte #8420 er
	tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 body)
	Body (1979 Ford® Bronco)
010X	Body, Ford Bronco (1979), complete (black) (includes front and
	rear bumpers, push bar, rear body mount, grille, side mirrors,
	door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders)
)78R	Decal sheet, Bronco, red (fits #8010 body)
593	Distribution block, Pro Scale® Advanced Lighting Control
	System
075	Door handles, left & right/ windshield wipers, left & right/
	retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)
70	Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/
126	lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)
036	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power
	supply)
035	LED light set, complete with power supply (contains headlights,
	tail lights, side marker lights, & distribution block) (fits #8010
	body)
037	LED lights, high/low switch (for #8035 or #8036 LED light kits)
073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits
72	#8010 body) Mirrore side chrome (left & right)/ retainers (2)/ body clips (4)
73X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 body)
592	Power module, Pro Scale® Advanced Lighting Control System

6592	Power module, Pro Scale® Advanced Lighting Control System
------	---

6591	Pro Scale® Advanced Lighting Control System (includes power
	module & distribution block)
8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 body)
8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware
8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body)
8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)
	Body (Land Rover® Defender®)
8011A	Body, Land Rover® Defender®, adventure orange (complete with
OUTTA	ExoCage, inner fenders, fuel canisters, and jack)
8011T	Body, Land Rover® Defender®, blue (painted)/ decals
8011X	Body, Land Rover® Defender®, graphite silver (painted)/ decals
8011R	Body, Land Rover® Defender®, red (painted)/ decals
8012	Decals, Land Rover® Defender®
8016	ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body)
8019	Fender brace, inner, front & rear
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight
	housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)
8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)
8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)
8029	LED light bar kit (Rigid®)/power supply, TRX-4®
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
-	#8011 body)
8015	Roof basket (requires #8016 ExoCage) (fits #8011 body)
8021	Spare tire mount/ mounting bracket/ screw pins (2)
8014	Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011
	body)
	Body (Mercedes-Benz® G 500®)
8811	Body, Mercedes-Benz® G 500® 4x4 <sup>2</sup> (clear, requires painting)/
0011	decals/ window masks (includes rear body post, grille, side
	mirrors, door handles, & windshield wipers)
8812	Decals, Mercedes-Benz® G 500® 4x4 <sup>2</sup>
6593	Distribution block, Pro Scale® Advanced Lighting Control
0000	System
8813X	Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/ headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing
	(2)/ turn signal housing retainer (2)/ turn signal len
8899	LED light set (contains headlights, tail lights, roof lights, and
	distribution block) (fits #8811 or #8825 body, requires #8028
	power supply)
8898	LED light set, complete with power supply (contains headlights,
	tail lights, roof lights, & distribution block) (fits #8811 or #8825
	body)
8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers,
	left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS
	(self-tapping) (3)
6592	Power module, Pro Scale® Advanced Lighting Control System
6591	Pro Scale® Advanced Lighting Control System (includes power
	module & distribution block)
8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS
8816X	(4) Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS
0010A	(self-tapping) (2)
8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount
00147	(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)
	Body (Tactical Unit)
8211X	Body, Tactical Unit, night camo (painted)/ decals
8019	Fender brace, inner, front & rear
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
0024	#8011 body)
8021	Spare tire mount/ mounting bracket/ screw pins (2)
	Body (TRX-4® Sport)
8112	Body with camper, TRX-4® Sport (clear, trimmed, requires
	painting)/ window masks/ decal sheet
8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,
	requires painting)/ window masks/ decal sheet
8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window
	masks/ decal sheet
8113	Decal sheet, TRX-4® Sport
6593	Distribution block, Pro Scale® Advanced Lighting Control
	System

System

### Page 3 TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92056-4) Parts List

Page 3	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Trax
8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
8120	Expedition rack/ mounting hardware (fits #8111 or #8111R body)
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits
	#8111 or #8112 body)
8086	LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)
8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)
8088	LED light bar, front bumper (fits #8124 front bumper, requires #8028 power supply)
8087	LED light bar, roof lights (fits #8111 body, requires #8028 power supply)
8085	LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)
8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)
6592	Power module, Pro Scale® Advanced Lighting Control System
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8122	Shovel/ axe/ accessory mount/ mounting hardware
8118	Spare tire mount/ mounting hardware
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens
	(2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)
8121X	Traction boards, blue/ mounting hardware
8121G	Traction boards, green/ mounting hardware
8121A	Traction boards, yellow/ mounting hardware
8121	Traction boards/ mounting hardware
	Body Accessories
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
3934	Body clips, heavy duty (12)
3934A	Body clips, heavy duty (black) (12)
8215	Body mounts & posts, front & rear (complete set)
9228	Body mounts (front & rear)/ 3x10 BCS (7) (fits #9212 body)
8115	Body posts, front & rear
4915	Body washers, foam adhesive (10)
2514	Decal sheet, racing sponsors
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
9288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9262X	Roll bar (assembled with LED light bar)/ roll bar mounts, left & right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212 body)
9262	Roll bar/ roll bar mounts, left & right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212 body)
	Bumpers & Skidplates
8234	Bumper D-rings, gray (front or rear)/ 2x12 CS (4)
8234 8234R	Bumper D-rings, gray (front or rear)/ 2x12 CS (4) Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
8067	Bumper mounts, front & rear
8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)
8237	Bumper mounts, front & rear/ screw pins (4)
8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8235	Bumper, front/ winch
8236	Bumper, rear
8125	Bumper, rear (176mm wide)
8136	Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2)
9237	Extender, skid plate
8138	Push bar, bumper, chrome (assembled) (fits #8137 bumper)
8238	Skidplate/ lower gear cover
	Chassis & Attachments
8215	Body mounts & posts, front & rear (complete set)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase)
	(includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
	(includes rear upper & lower suspension links, front & rear
	shock towers, long female half shaft)

8220	Chassis rails, 448mm (steel) (left & right)
9229	Chassis rails, 480mm (steel) (left & right)
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080
	narrow inner fenders)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
	(10)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery
	plate/ 3x8 flat-head screws (4)
9288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock
5200	light covers (8)
8218	• • • • • • • • • • • • • • • • • • • •
	Floor pans, left & right
8224X	Receiver box cover (for use only with #8224 receiver box &
	#2260 BEC)/ foam pads/ seals/ silicone grease
8219	Rock sliders, left & right
8225	Seal kit, receiver box (includes o-ring, seals, and silicone
	grease)
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8239	Servo mount, steering/ chassis crossmember
8216	Shock towers, front & rear (left & right)
8226	Tray, battery
0220	
	Differential Components
8281	Carrier, differential/ differential slider/ T-Lock fork
8280A	Differential cover, front or rear (black)
8280X	Differential cover, front or rear (chrome-plated)
8280	Differential cover, front or rear (gray)
8280R	Differential cover, front or rear (red)
8195	Differential, locking, front and rear (assembled) (includes T-Lock
	cables and servo)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear
	shaft (2))
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
	(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
	(1) $3x6$ BCS with threadlock (1))
8279	Ring gear, differential/ pinion gear, differential
8279R	Ring gear, differential/ pinion gear, differential (machined)
8287	Ring gear, differential/ pinion gear, differential (overdrive,
	machined)
8288	Ring gear, differential/ pinion gear, differential (underdrive,
	machinod)
	machined)
8297	Spool/ differential housing plug/ e-clip
8297	Spool/ differential housing plug/ e-clip
	Spool/ differential housing plug/ e-clip Driveline Components
<b>8297</b> 9250	Spool/ differential housing plug/ e-clip Driveline Components Driveshaft extension kit, center (includes internal splined, xx-long (2),
9250	Spool/ differential housing plug/ e-clip Driveline Components Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1))
	Spool/ differential housing plug/ e-clip         Driveline Components         Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1))         Half shafts, center (internal splined, front (2) & internal splined, rear
9250 8250	Spool/ differential housing plug/ e-clip Driveline Components Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
9250	Spool/ differential housing plug/ e-clip           Driveline Componential           Driveline Componential           Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1))           Half shafts, center (internal splined, front (2) & internal splined, rear
9250 8250	Spool/ differential housing plug/ e-clip Driveline Componential Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
9250 8250 8255A	Spool/ differential housing plug/ e-clip Driveline Componential for the component of the c
9250 8250 8255A 8269	Spool/ differential housing plug/ e-clip Driveline Component for the component of the comp
9250 8250 8255A 8269	Spool/ differential housing plug/ e-clip Driveline Components Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
9250 8250 8255A 8269 8269X	Spool/ differential housing plug/ e-clip Driveline Component of the compo
9250 8250 8255A 8269 8269X	Spool/ differential housing plug/ e-clip Driveline Components Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
9250 8250 8255A 8269 8269X 8269X 8269A	Spool/ differential housing plug/ e-clip Driveline Component of the compo
9250 8250 8255A 8269 8269X 8269A 8269A 8269G	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
9250 8250 8255A 8269 8269X 8269X 8269A	Spool/ differential housing plug/ e-clip Driveline Composition Control of the co
9250 8250 8255A 8269 8269X 8269A 8269A 8269G	Spool/ differential housing plug/ e-clip Driveline Commonstant for the common set of the common set o
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R	Spool/ differential housing plug/ e-clip Driveline Commonstant Control of the co
9250 8250 8255A 8269 8269X 8269A 8269A 8269G	Spool/ differential housing plug/ e-clip Driveline Commonstant for the common set of the common set o
9250 8250 8255A 8269X 8269X 8269A 8269G 8269G 8269R	Spool/ differential housing plug/ e-clip Driveline Component of the provided statement of the p
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R	Spool/ differential housing plug/ e-clip Driveline Component for the component of the second
9250 8250 8255A 8269X 8269X 8269A 8269G 8269G 8269R	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
9250 8250 8255A 8269 8269X 8269A 8269G 8269G 8269R 1552 1834	Spool/ differential housing plug/ e-clip Driveline Component for the component of the second
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R 1552 1834 1834A 3934	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12)
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R 1552 1834 1834A 3934 3934A	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R 1552 1834 1834A 3934	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, beadlock rings (contains stainless
9250 8250 8255A 8269X 8269A 8269G 8269G 8269G 8269R 1552 1834 1834A 3934 3934 3934 8167X	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, black (12) (Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R 1552 1834 1834A 3934 3934A	Spool/ differential housing plug/ e-clip Driveline Component of the control of t
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R 1552 1834 1834A 3934 3934 3934 3934 8167X 8298	Spool/ differential housing plug/ e-clip Driveline Composition (1) Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
9250 8250 8255A 8269X 8269A 8269G 8269G 8269G 8269R 1552 1834 1834A 3934 3934 3934 8167X	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
9250 8250 8255A 8269 8269X 8269A 8269G 8269G 8269G 8269G 8269G 8269G 8269R 1552 1834 1834A 3934 3934A 8167X 8298 8151	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware kit, stainless steel, TRX-4® Long Arm Lift Kit)
9250 8250 8255A 8269X 8269X 8269A 8269G 8269G 8269G 8269G 8269R 1552 1834 1834A 3934 3934A 3934 3934A 8167X 8298 8151 5476X	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
9250 8255A 8269 8269X 8269A 8269G 8269G 8269G 8269G 8269G 1552 1834 1834A 3934A 3934A 3934A 8167X 8298 8151 5476X 3647	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware kit, stainless steel, TRX-4® Long Arm Lift Kit) Hardware kit, stainless steel, TRX-4® Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8)
9250 8250 8255A 8269X 8269X 8269A 8269G 8269G 8269G 8269G 1552 1834 1834A 3934 3934A 3934A 8167X 8298 8151 5476X 3647 8347	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4) Hardware kit, stainless steel, TRX-4® Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking, serrated (black) (10)
9250 8250 8255A 8269 8269X 8269A 8269G 8269G 8269R 1552 1834 1834A 3934 3934 3934 3934 3934 8167X 8298 8151 5476X 3647 8347 1747R	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4% Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking (steel, serrated) (4)
9250 8250 8255A 8269X 8269X 8269A 8269G 8269G 8269G 8269G 1552 1834 1834A 3934 3934A 3934A 8167X 8298 8151 5476X 3647 8347	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4) Hardware kit, stainless steel, TRX-4® Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking, serrated (black) (10)
9250 8250 8255A 8269 8269X 8269A 8269G 8269G 8269R 1552 1834 1834A 3934 3934 3934 3934 3934 8167X 8298 8151 5476X 3647 8347 1747R	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4% Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking (steel, serrated) (4)
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R 1552 1834 1834A 3934 3934 3934 3934A 8167X 8298 8151 5476X 3647 8347 1747R 1747R	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware kit, stainless steel, TRX-4® Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
9250 8250 8255A 8269 8269X 8269A 8269G 8269G 8269G 8269G 8269G 8269G 8269G 8269G 8343 3934A 8167X 83934 8167X 8298 8151 5476X 3647 8347 1747G 1747T	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, black (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware kit, stainless steel, TRX-4® Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (prage-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (prage-anodized) (4)
9250 8250 8255A 8269 8269X 8269A 8269G 8269G 8269G 8269G 8269G 8269G 8269G 8269G 8269G 8269G 8269G 8347 8344 8167X 83934 8167X 8298 8151 5476X 3647 8347 1747R 1747R 1747R	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips, (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4) Hardware kit, stainless steel, TRX-4® Long Arm Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
9250 82550 8255A 8269 8269X 8269A 8269G 8269G 8269G 8269G 8269G 8269G 1552 1834 1834A 3934A 8167X 8298 8151 5476X 3647 8347 1747R 1747R 1747P 1747A 1985	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, TRX-4® (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® Long Arm Lift Kit Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (pine-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pine-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pine-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
9250 8250 8255A 8269 8269X 8269A 8269A 8269G 8269R 1552 1834 1834A 3934 3934 3934 3934 3934 3934 3934 8167X 8298 8151 5476X 3647 8347 1747R 1747R 1747R 17477 17477 17477 17477	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2) ( external splined (2) / pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4) Hardware kit, stainless steel, TRX-4® Ligh Lift Kit (contains all stainless steel hardware used on TRX-40 (J) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4
9250 82550 8255A 8269 8269X 8269A 8269G 8269G 8269G 8269G 8269G 8269G 1552 1834 1834A 3934A 8167X 8298 8151 5476X 3647 8347 1747R 1747R 1747P 1747A 1985	Spool/ differential housing plug/ e-clip Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, black (12) (standard size) Body clips, heavy duty (12) Body clips, heavy duty (12) Hardware kit, stainless steel, TRX-4® (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® Long Arm Lift Kit Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (pine-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pine-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pine-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)

3229Screws, 2.5x10mm cap-head machine (hex drive) (6)2523Screws, 2.5x10mm countersunk machine (hex drive) (6)

#### Page 4 TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92056-4) Parts List

Page 4	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Tra	xxas Lin
3236	Screws, 2.5x12mm cap-head machine (6)	8144R
2618	Screws, 2.5x16mm cap-head machine (6)	01441
3215	Screws, 2.5x6mm cap-head machine (b)	
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)	8144
3965	Screws, 2.5x8mm cap-head machine (6)	
2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)	8143
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	04427
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)	8143X
2564	Screws, 2x8mm cap-head machine (hex drive) (6)	
2577 4859	Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm flat-head machine (hex drive) (4)	8143R
4039 2578	Screws, 3x12mm button-head machine (hex drive) (4)	
2579	Screws, 3x15mm button-head machine (hex drive) (6)	0445
2591	Screws, 3x23mm button-head machine (hex drive) (6)	8145
2581	Screws, 3x25mm button-head machine (hex drive) (6)	8145X
2616	Screws, 3x27mm button-head machine (hex drive) (6)	01407
2582	Screws, 3x30mm button-head machine (hex drive) (6)	
2575	Screws, 3x6mm button-head machine (hex drive) (6)	8145R
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	
2576 3931	Screws, 3x8mm button-head machine (hex drive) (6)	8142
3933	Screws, 3x8mm flat-head machine (hex drive) (6) Screws, 4x16mm button-head machine (hex drive) (6)	0142
0000		8142X
	LED Light Accessories	
8031 8089	3-in-1 wire harness, LED light kit 4-in-2 wire harness, LED light kit	04400
6589	Distribution block, LED light set	8142R
8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire	
	harness	8172
8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply	
	and #8018, #8072, or #8080 inner fenders)	
9262X	Roll bar (assembled with LED light bar)/ roll bar mounts, left &	8184
	right/ 2.6x12 BCS (self-tapping) (4)/ 2.5x15 CS (2) (fits #9212 body)	
	Long Arm Lift Kit	8181
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	
01027	with #8140X TRX-4® Long Arm Lift Kit)	8170
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use	8171
	with #8140R TRX-4® Long Arm Lift Kit)	8171A
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140	
8147	TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	8180
9283	Cable, T-lock (medium) (of use with TRX-4@ Long Arm Lin Rit) Cable, T-lock, rear (185mm)	
8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long	1926
	Arm Lift Kit)	1726
8150	Driveshaft extension kit, center (includes internal splined, x-long	2262
	(2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	20644
8140	Long Arm Lift Kit, TRX-4®, complete	2064A <b>2272</b>
8140X	Long Arm Lift Kit, TRX-4®, complete (includes blue powder	2064R
	coated links, blue-anodized shocks)	2072X
8140R	Long Arm Lift Kit, TRX-4®, complete (includes red powder	2252
	coated links, red-anodized shocks)	2072R
8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)	8290X
8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	8290A
8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with	8290G
0.01	TRX-4® Long Arm Lift Kit)	<b>8290R</b> 3975R
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without	8290
	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	2254
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without	2253
8160	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for	2251
0100	use with #8140 TRX-4® Long Arm Lift Kit)	
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white	2271
	stripe) (for use with TRX-4® Long Arm Lift Kit)	2063A 2063R
8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)	20001
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with	2063X
0100	TRX-4® Long Arm Lift Kit)	
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green	5669
04	stripe) (for use with TRX-4® Long Arm Lift Kit)	2075R 2250
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)	2230
8146X	(for use with TRX-4® Long Arm Lift Kit) Steering link, 5x60mm (1)/ draglink, 5x117mm (1)/ panhard link,	
	5x63mm (blue powder coated steel) (assembled with hollow	2255
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	
8146R	Steering link, 5x60mm (1)/ draglink, 5x117mm (1)/ panhard link,	2075X
	5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)	2075A 2270
8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated	2065A
·····	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	2065R

 8144X
 Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® 2065R
 Servo, sub-micro, waterproof, metal gear Long Arm Lift Kit)

8144R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8144	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled with
8143X	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
8143R	Long Arm Lift Kit) Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with
8145X	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8172	Tires and wheels, assembled (Method 105 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)
8184	Tires and wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2) (requires #8255A extended thread stub axle)
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
8170 <b>8171</b>	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
	rings sold separately)
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
	rings sold separately)
8180	rings sold separately) Wheels, TRX-4® Sport 2.2 (2)
	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics
1926	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool
	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics
1926 1726 <b>2262</b> 2064A	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & EGCITONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo)
1926 1726 <b>2262</b> 2064A <b>2272</b>	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & EGCITONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof servo)
1926 1726 <b>2262</b> 2064A	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & EGCITONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo)
1926 1726 2262 2064A 2272 2064R 2072X 2252	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & ECTIONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & ECTIONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & ECTIONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & ECTIONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & ELECTIONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)
1926 1726 2262 2064A 2272 2064R 2072X 2052R 2072R 8290X 8290A 8290A 8290G 8290R 3975R	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
1926 1726 2262 2064A 2272 2064R 2072X 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2070, waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & ELECTIONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2206 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2005A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
1926 1726 2262 2064A 2272 2064R 2072X 2052 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case/ gaskets (for 2270 waterproof servo)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290G 8290G 8290G 2254 2253 2251 2251 2271 2063A	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2070 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2070 waterproof sub-micro servo)
1926 1726 2262 2064A 2272 2064R 2072X 2052 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case/ gaskets (for 2270 waterproof servo)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290G 8290G 8290G 8290G 2254 2253 2251 2251 2251 2251 2063A 2063R 2063X	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2260, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290G 8290G 8290G 8290G 8290G 2254 2253 2251 2251 2251 2063A 2063R 2063X 5669	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, gaskets (for 2070 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290G 8290G 8290G 8290G 2254 2253 2251 2251 2251 2251 2063A 2063R 2063X	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LIPO) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2260, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2251 2271 2063A 2063R 2063X 5669 2075R	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2070, waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2251 2271 2063A 2063R 2063X 5669 2075R	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2070, waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A materproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290G 8290G 8290G 8290G 8290G 2254 2253 2251 2251 2251 2063A 2063R 2063R 2063X 5669 2075R 2250	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LIPO) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2260, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2260 A waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290G 8290G 8290G 2254 2253 2251 2271 2063A 2063R 2063R 2063X 5669 2075R 2250	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOTORS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set (for 2070, waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A materproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal
1926 1726 2262 2064A 2272 2064R 2072X 2252 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063R 2063X 5669 2075R 2255 2255	rings sold separately) Wheels, TRX-4® Sport 2.2 (2) MOIOTS & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2270 waterproof sub-micro servo) Gear set (for 2270 waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2260, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo horn (with built-in spring and hardware) Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)

#### Page 5 TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92056-4) Parts List

Fage 5	TRA-46 Chevrolete KTO High Trail Euttion : Tel Trai
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
0020	detection, fwd/rev/brake)
2261	Y-harness, BEC
P	ro Scale® Advanced Lighting Control System
6593	
6293	Distribution block, Pro Scale® Advanced Lighting Control System
8032	Installation kit, Pro Scale® Advanced Lighting Control System,
0002	TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979)
	(includes mount, reverse lights harness, hardware)
6592	Power module, Pro Scale® Advanced Lighting Control System
6591	Pro Scale® Advanced Lighting Control System (includes power
	module & distribution block)
	Pro Scale® Winch & Accessories
8867	Bumper, front, winch, medium (includes bumper mount, D-
	Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979
	Blazer with 8855 winch) (217mm wide)
8859	Fairlead, winch
8870X	Fairlead, winch, aluminum (blue-anodized) (use with front
	bumpers #8865, 8866, 8867, 8869, or 9224)
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front
8870G	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (green-anodized) (use with front
88709	bumpers #8865, 8866, 8867, 8869, or 9224)
8870T	Fairlead, winch, aluminum (orange-anodized) (use with front
	bumpers #8865, 8866, 8867, 8869, or 9224)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front
	bumpers #8865, 8866, 8867, 8869, or 9224)
8862	Gearmotor, winch
8863	Hook, winch (steel)
8858 886 AX	Housings (front & rear), winch/ decal
8864X 8864	Line, winch (blue)
8864R	Line, winch (gray) Line, winch (red)
8860	Spool shaft assembly, winch
8861	Spool, winch
8855	Winch kit with wireless controller, TRX-4
8856	Winch, TRX-4® (requires #8857 wireless remote)
8857	Wireless remote, winch, TRX-4®
	Radio System, Batteries & Chargers
2823X	1400mAh 11.1v 3-Cell 25C LiPo iD® Battery
2820X	2200mAh 7.4v 2-Cell 25C LiPo iD® Battery
2849X	4000mAh 11.1v 3-Cell 25C LiPo iD® Battery
2872X	5000mAh 11.1v 3-Cell 25C LiPo iD® Battery
2842X	5000mAh 7.4v 2-Cell 25C LiPo iD® Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo iD® Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo iD® Battery
2976	AC to DC converter, 40W
2938X	
1706	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries
1726	to separate balance ports)
29/3	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>2943</b> 6548	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4))
<b>2943</b> 6548	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,
6548	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
6548 8222 2914 2923X	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V)
6548 8222 2914 2923X 2940X	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V)
6548 8222 2914 2923X 2940X 2950X	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V)
6548 8222 2914 2923X 2940X 2950X 2950X 2960X	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell ID®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell ID®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell ID®, 5000mAh (NiMH, 7-C flat, 8.4V)
6548 8222 2914 2923X 2940X 2950X	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery charge indicators (green (4), blue (4), gray (4)) Battery charge indicators (green (4), blue (4), gray (4)) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Charger completer pack (includes #2969 2-amp NiMH
6548 8222 2914 2923X 2940X 2950X 2950X 2960X	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
6548 8222 2914 2923X 2940X 2950X 2960X 2983	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
6548 8222 2914 2923X 2940X 2950X 2950X 2960X	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),
6548 8222 2914 2923X 2940X 2950X 2960X 2983	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery charge indicators (green (4), blue (4), gray (4)) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),
6548 8222 2914 2923X 2940X 2950X 2950X 2960X 2983 2992 2992	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (1)
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992 2994 2991	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2))
6548 8222 2914 2923X 2940X 2950X 2950X 2960X 2983 2992 2992	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992 2994 2991 2262	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery(1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992 2994 2991 2262 2975	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992 2994 2991 2262	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Charger, DC, 4 amp (6 -7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992 2994 2991 2262 2975	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ vire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992 2994 2991 2262 2975 2972	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Charger, DC, 4 amp (6 -7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992 2994 2991 2262 2975 2972	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery
6548 8222 2914 2923X 2940X 2950X 2960X 2983 2992 2994 2991 2262 2975 2972 2973	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), gray (4)) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell ID®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak® Live Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, IZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification

Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2981

Battery identification           6525         Communication link, telemetry expander           6512         Cover plate, Traxxas Link™ Wirreless Module           2978         Fuse, charger, 5A (2) (for #2974, 2975, 2977)           2064A         Gear set (for 22065A waterproof sub-micro servo)           2072X         Gear set, metal (for 2070, 2075 servos)           2072X         Gear set, metal (for 2250, 2255 servos)           2072R         Gear set, metal (for 2260, 2255 servos)           2072R         Gear set, metal (for 2070, 2075 servos)           2968X         LIPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)           29681         LIPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)           6551         Mount, telmerty expander (fits TRX-4®)           6552         Sensor, auto-detectable, cumperature           6553         Sensor, auto-detectable, voltage           6521         Sensor, temperature and voltage (long)           2253         Servo case, alaminum (ted-anodized) (middle) (for 2250 servo)           254         Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)           2063R         Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)           2251         Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) </th <th>2970</th> <th>Charger E7 Book® Plue 4 amp NiMH/I iPe with iP® Auto</th>	2970	Charger E7 Book® Plue 4 amp NiMH/I iPe with iP® Auto
<ul> <li>6525 Communication link, telemetry expander</li> <li>6512 Cover plate, Traxxas Link™ Wireless Module</li> <li>2976 Fuse, charger, 5A (2) (for #2974, 2975, 2977)</li> <li>2064A Gear set (for 2056A waterproof sub-micro servo)</li> <li>2272 Gear set, metal (for 2005R waterproof sub-micro servo)</li> <li>2072X Gear set, metal (for 2007, 2075 servos)</li> <li>2252 Gear set, metal (for 2007, 2075 servos)</li> <li>2988X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</li> <li>6561 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, temperature and voltage (long)</li> <li>2253 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2274 Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063A Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</li> <li>2075X Servo, case/gaskets (for 2065X metal gear, waterproof</li> <li>2075K Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, case/gaskets (for 2065X metal gear, waterproof</li> <li>2075X Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</li> <li>2075X Servo, case/gaskets (for 2065X metal gear</li></ul>	2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
<ul> <li>6512 Cover plate, Traxxas Link™ Wireless Module</li> <li>2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)</li> <li>2064A Gear set (for 2065A waterproof sub-micro servo)</li> <li>2072X Gear set, metal (for 2070, 2075 servos)</li> <li>2084 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries)</li> <li>6561 Mount, telemetry expander (fits TRX-4®)</li> <li>6533 Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6553 Servo, auto-detectable, voltage</li> <li>6521 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, temperature and voltage (long)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2255 servo)</li> <li>2251 Servo case, glaskts (for 2065A waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065A waterproof seuro)</li> <li>2063A Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2075K Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal serv horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high</li></ul>	6525	
<ul> <li>2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)</li> <li>2064A Gear set (for 2056A waterproof sub-micro servo)</li> <li>2072 Gear set (for 2270 waterproof sub-micro servo)</li> <li>2072 Gear set, metal (for 2070, 2075 servos)</li> <li>2072 Gear set, metal (for 250, 2255 servos)</li> <li>2072 Gear set, metal (for 250, 2255 servos)</li> <li>2072 Gear set, metal (for 250, 2255 servos)</li> <li>2083 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxas® iD® batteries)</li> <li>6561 Mount, telemetry expander (fits TRX-4®)</li> <li>6533 Receiver, micro, TQi 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, top, middle, (for 2250 servo)</li> <li>2253 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2254 Servo case, aluminum (red-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case/gaskets (for 2065A waterproof servo)</li> <li>2063R Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo, digital high-torque 30 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque, metal gear</li> <li>2260 Servo, digital high-torque, metal gear</li> <li>2270 Servo, digital high-torque, metal gear</li> <li>2271 Servo, digital high-torque, metal gear</li> <li>2273 Servo, digital high-torque, metal gear</li> <li>2274 Servo, digital high-torque, metal gear</li> <li>2275 Servo, digital high-torque, metal gear</li> <li>2</li></ul>		
<ul> <li>2064A Gear set (for 2065 waterproof sub-micro servo)</li> <li>2272 Gear set, metal (for 2070, 2075 servos)</li> <li>2072K Gear set, metal (for 2070, 2075 servos)</li> <li>2072R Gear set, metal (for 2070, 2075 servos)</li> <li>2072R Gear set, metal (for 2070, 2075 servos)</li> <li>2072R Gear set, metal (for 2070, 2075 servos)</li> <li>2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries)</li> <li>2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries)</li> <li>2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries)</li> <li>2968 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage (long)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2250 servo)</li> <li>2254 Servo case/gaskets (for 2270 waterproof sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2055 Servo, digital high-torque, 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075K Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2256 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque, metal gear (ball bea</li></ul>		
<ul> <li>2272 Gear set (for 2270 waterproof servo)</li> <li>2064R Gear set, metal (for 2055R waterproof sub-micro servo)</li> <li>2072X Gear set, metal (for 2070, 2075 servos)</li> <li>2252 Gear set, metal (for 2070, 2075 servos)</li> <li>2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 Mount, telemetry expander (fits TRX-4®)</li> <li>6553 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TOI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone graese)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, temperature and voltage (long)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2254 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 22065R metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065R metal gear (ball bearing), waterproof (#2262 external BEC and #247X metal servo horn recommended for optimal performance)</li> <li>2075K Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2275 Servo, digital high-torque, metal gear (ball bearing), wate</li></ul>		
<ul> <li>2064R Gear set, metal (for 2056 waterproof sub-micro servo)</li> <li>2072X Gear set, metal (for 2070, 2075 servos)</li> <li>2252 Gear set, metal (nigh speed (for 2070, 2075 servos)</li> <li>2968 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 Mount, telmetry expander (fits TRX-4®)</li> <li>6531 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6532 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6543 Sensor, auto-detectable, temperature</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6524 Sensor, auto-detectable, voltage (long)</li> <li>2253 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (blue-anodized) (middle) (for 2255 servo)</li> <li>2251 Servos (for 2065A waterproof sub-micro servo)</li> <li>2263 Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063A Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2055 Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2075R Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2275 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2275 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof</li> <li>2275 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2250 Servo, sub-micro, waterproof, metal gear</li> <li>2275 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2265 Servo, sub-micro, waterproof, metal gear</li> <li< td=""><td></td><td></td></li<></ul>		
<ul> <li>2072X Gear set, metal (for 2070, 2075 servos)</li> <li>2252 Gear set, metal (for 2250, 2255 servos)</li> <li>2072R Gear set, metal, high speed (for 2070, 2075 servos)</li> <li>2078R LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</li> <li>2968X LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TQI 2.4 GHz with telemetry &amp; TSM (5-channel)</li> <li>6551 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage (long)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2254 Servo case, gaskets (for 2065A waterproof servo)</li> <li>2063R Servo case/gaskets (for 2065K metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2255 Servo, sub-micro que q00 brushless, metal gear (ball bearing), waterproof</li> <li>2256 Servo, sub-micro que q00 brushless, metal gear (ball bearing), waterproof</li> <li>2257 Servo, digital high-torque a00 creles, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque q00 brushless, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, sub-micro, waterproof, metal gear</li> <li>2075X Telemetry expander 2.0 and GPS module 2.0, TQI radio system</li> <li>2055X Telemetry expander 2.0, TQI radio system (for use only with #6551X GPS module)</li></ul>		
<ul> <li>2252 Gear set, metal (for 2250, 2255 servos)</li> <li>2072R Gear set, metal, high speed (for 2070, 2075 servos)</li> <li>2963X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 Mount, telemetry expander (fits TRX-4®)</li> <li>6531 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage</li> <li>6528 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2250 servo)</li> <li>2254 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof #2250 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2256 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2257 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2258 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2259 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque, metal gear (ball bearing), waterpro</li></ul>		
<ul> <li>2072R Gear set, metal, high speed (for 2070, 2075 servos)</li> <li>2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</li> <li>2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</li> <li>6661 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, auto-detectable, voltage</li> <li>6523 Servo case, aluminum (red-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2251 Servo case, glastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2263R Servo case/gaskets (for 2065A waterproof servo)</li> <li>2063R Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo, case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo, case/gaskets (for 2065X metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 30 coreless, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</li> <li>2277 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2276 Servo, sub-micro, waterproof, metal gear</li> <li>2075X Telemetry expander 2.0 and GPS module 2.0, TQI radio system</li> <li>2075X Telemetry expander 2.0 and GPS module 2.0, TQI radio system</li> <li>2075X Telemetry expander 2.0 TQI radio system (for use only with #6551X Telemetry expander 2.0, TQI radio system (for use only with #6551X Telemetry expander)</li> <li>2059R TQI 2.4 GHz High Output radio s</li></ul>		
<ul> <li>LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries)</li> <li>LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries)</li> <li>LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries)</li> <li>Mount, telemetry expander (fits TRX-4®)</li> <li>Mount, telemetry expander (fits TRX-4®)</li> <li>Mount, telemetry expander (fits TRX-4®)</li> <li>Receiver, micro, TQi 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>Seak kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>Seak kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>Sensor, auto-detectable, temperature</li> <li>Sensor, temperature and voltage (long)</li> <li>Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>Servo case, aluminum (red-anodized) (middle) (for 2250 servo)</li> <li>Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>Servo case/gaskets (for 2065A waterproof servo)</li> <li>Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</li> <li>Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>Servo, digital high-torque, metal gear</li> <li>Servo, digital high-torque 400 brushless, metal gear (ball beafing), waterproof</li></ul>		
<ul> <li>Traxxas® iD® batteries)</li> <li>2968 LIPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</li> <li>6561 Mount, telemetry expander (fits TRX-4®)</li> <li>6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6538 Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage</li> <li>6528 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2254 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2254 Servo case, glastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063A Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2256 Servo, sub-micro, waterproof</li> <li>2257 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2258 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2259 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2250 Servo, sub-micro, waterproof</li> <li>2251 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2265 Servo, sub-micro, waterproof, metal gear</li> <li>6553 Telemetry expander 2.0, TQi radio system (for use onl</li></ul>		
<ul> <li>LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries)</li> <li>Mount, telemetry expander (fits TRX-4®)</li> <li>Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>Sensor, auto-detectable, temperature</li> <li>Sensor, auto-detectable, voltage</li> <li>Sensor, auto-detectable, voltage</li> <li>Sensor, temperature and voltage (long)</li> <li>Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>Servo case, aluminum (red-anodized) (middle) (for 2250 servo)</li> <li>Servo case, gaskets (for 2206A waterproof servo)</li> <li>Servo case/gaskets (for 2065A waterproof servo)</li> <li>Servo case/gaskets (for 2065A materproof, sub-micro servo)</li> <li>Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>Servo, case/gaskets (for 2065X metal gear (ball bearing), waterproof</li> <li>Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>Servo, sub-micro, waterproof</li> <li>Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof</li> <li>Servo, sub-micro, waterproof</li> <li>Servo, sub-micro, waterproof</li> <li>Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof</li> <li>Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof</li> <li>Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof</li> <li>Servo, sub-micro, waterproof, metal gear</li> <li>Servo, sub-micr</li></ul>	23007	
<ul> <li>Traxxas® iD® batteries)</li> <li>6561 Mount, telemetry expander (fits TRX-4®)</li> <li>6533 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage</li> <li>6528 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2254 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2254 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063A Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof</li> <li>2075X Servo, sub-micro, waterproof</li> <li>2065A Servo, sub-micro, waterproof</li> <li>2055X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>2551X Telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system, 4</li></ul>	2968	
<ul> <li>6561 Mount, telemetry expander (fits TRX-4®)</li> <li>6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, temperature and voltage (long)</li> <li>254 Servo case, aluminum (blue-anodized) (middle) (for 2255 servo)</li> <li>2251 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2253 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo, case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, sub-micro, waterproof, metal gear</li> <li>2270 Servo, digital high-torque 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X GPS module 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>65571 Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6507 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link<sup>TM</sup> enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link<sup>TM</sup> enabled, TSM (</li></ul>	2000	• • • • •
<ul> <li>6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</li> <li>6533 Receiver, micro, TQi 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage (long)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2254 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2270 waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2275 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2275 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2275 Servo, digital high-torque, metal gear (ball bear</li></ul>	6561	,
pad         6533       Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)         6552       Seal kit, expander box (includes o-ring, seals, and silicone grease)         6526       Sensor, auto-detectable, temperature         6527       Sensor, auto-detectable, voltage         6521       Sensor, temperature and voltage (long)         2254       Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)         2253       Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)         2271       Servo case/gaskets (for 2065A waterproof sub-micro servo)         2063A       Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)         2063X       Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)         2063X       Servo, digital high-speed, metal gear (ball bearing), waterproof         2075R       Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)         2075X       Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof         2075X       Servo, digital high-torque, metal gear (ball bearing), waterproof         2075X       Servo, digital high-torque, metal gear (ball bearing), waterproof         2075X       Servo, digital high-torque, metal gear (ball bearing), waterproof         2075X		
<ul> <li>Receiver, micro, TQI 2.4GHz with telemetry &amp; TSM (5-channel)</li> <li>Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>Sensor, auto-detectable, temperature</li> <li>Sensor, auto-detectable, voltage</li> <li>Sensor, temperature and voltage (long)</li> <li>Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>Servo case/gaskets (for 2270 waterproof servo)</li> <li>Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>Servo case/gaskets (for 2065A waterproof, sub-micro servo)</li> <li>Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</li> <li>Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>Servo, sub-micro, waterproof, metal gear</li> <li>Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>Servo, sub-micro, waterproof</li> <li>Servo, Servo, sub-micro, waterproof</li> <li>Servo, sub-micro, waterproof</li> <li>Servo, sub-micro, waterproof</li> <li>Servo, sub-micro, waterproof</li> <li>Servo, Servo, algital high-torque, meta</li></ul>		
<ul> <li>6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, temperature and voltage (long)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2250 servo)</li> <li>2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063A Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo, case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2265 Servo, sub-micro, waterproof, metal gear</li> <li>2075X Servo, sub-micro, waterproof, metal gear</li> <li>2075X Servo, sub-micro, waterproof, metal gear</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>6551X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	6533	
<ul> <li>grease)</li> <li>6526 Sensor, auto-detectable, temperature</li> <li>6527 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, temperature and voltage (long)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for</li> <li>2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2270 waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear (ball bearing), waterproof</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>2065X Servo, sub-micro, waterproof, metal gear</li> <li>2065X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507</li> <li>6507 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		
<ul> <li>6527 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, temperature and voltage (long)</li> <li>254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>253 Servo case, aluminum (red-anodized) (middle) (for 2250 servo)</li> <li>254 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>257 Servo case/gaskets (for 2065A waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2275 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, sub-micro, waterproof, metal gear</li> <li>2270 Servo, sub-micro, waterproof, metal gear</li> <li>2065X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6509R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link<sup>TM</sup> wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link<sup>TM</sup> Wireless Module</li> </ul>		
<ul> <li>6527 Sensor, auto-detectable, voltage</li> <li>6521 Sensor, temperature and voltage (long)</li> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/ gaskets (for 2270 waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof</li> <li>2270 Servo, sub-micro, waterproof</li> <li>2065R Telemetry expander 2.0, TQ</li></ul>	6526	Sensor, auto-detectable, temperature
<ul> <li>2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</li> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2270 waterproof servo)</li> <li>2063R Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2075R Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque, a00 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system, for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link<sup>TM</sup> enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link<sup>TM</sup> Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link<sup>TM</sup> enabled, 2.4GHz high output, 4-channel (transmitter only)</li> </ul>	6527	Sensor, auto-detectable, voltage
<ul> <li>2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</li> <li>2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2065A waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2075R Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>2055X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6507R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link<sup>TM</sup> enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link<sup>TM</sup> Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link<sup>TM</sup> enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link<sup>TM</sup> Wireless Module</li> </ul>	6521	Sensor, temperature and voltage (long)
<ul> <li>2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</li> <li>2271 Servo case/ gaskets (for 2270 waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof</li> <li>2055X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6507R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link<sup>TM</sup> enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link<sup>TM</sup> Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link<sup>TM</sup> enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link<sup>TM</sup> Wireless Module</li> </ul>	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
<ul> <li>2250, 2255 servos)</li> <li>2271 Servo case/gaskets (for 2270 waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2075R Servo, digital high-torque 30 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>2065A Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6507R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
<ul> <li>2271 Servo case/ gaskets (for 2270 waterproof servo)</li> <li>2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2075R Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>2055X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6507R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> </ul>	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
<ul> <li>2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)</li> <li>2063R Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>2053X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X telemetry expander)</li> <li>6507R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		2250, 2255 servos)
<ul> <li>2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	2271	Servo case/ gaskets (for 2270 waterproof servo)
<ul> <li>servo)</li> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
<ul> <li>2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065R Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>2055X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
<ul> <li>servo)</li> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		•
<ul> <li>2075R Servo, digital high-speed, metal gear (ball bearing), waterproof</li> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof, waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>2055X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
<ul> <li>2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2076 Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		•
<ul> <li>waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module 2.0, TQi radio system, for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 7.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		
<ul> <li>recommended for optimal performance)</li> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, sub-micro, waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>2055X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry expander 2.0, TQi radio system (for use only with #6551X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	2250	
<ul> <li>2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>2055X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		
<ul> <li>bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</li> <li>2075X Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2270 Servo, sub-micro, waterproof</li> <li>2065A Servo, sub-micro, waterproof, metal gear</li> <li>2055X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	2255	• • •
servo horn recommended for optimal performance)         2075X       Servo, digital high-torque, metal gear (ball bearing), waterproof         2270       Servo, digital high-torque, metal gear (ball bearing), waterproof         2065A       Servo, sub-micro, waterproof         2065R       Servo, sub-micro, waterproof, metal gear         6553X       Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)         6551X       Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)         6509R       TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)         6507R       TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)         6530       Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)         6511       Traxxas Link™ Wireless Module	2200	
2075X       Servo, digital high-torque, metal gear (ball bearing), waterproof         2270       Servo, digital high-torque, metal gear (ball bearing), waterproof         2065A       Servo, sub-micro, waterproof, metal gear         2065R       Servo, sub-micro, waterproof, metal gear         6553X       Telemetry expander 2.0 and GPS module 2.0, TQi radio system         6550X       Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)         6551X       Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)         6509R       TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)         6507R       TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)         6530       Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)         6511       Traxxas Link™ Wireless Module		
<ul> <li>2270 Servo, digital high-torque, metal gear (ball bearing), waterproof</li> <li>2065A Servo, sub-micro, waterproof</li> <li>2065R Servo, sub-micro, waterproof, metal gear</li> <li>6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	2075X	• • •
2065A       Servo, sub-micro, waterproof         2065R       Servo, sub-micro, waterproof, metal gear         6553X       Telemetry expander 2.0 and GPS module 2.0, TQi radio system         6550X       Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)         6551X       Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)         6509R       TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)         6507R       TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)         6530       Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)         6511       Traxxas Link™ Wireless Module		
2065R       Servo, sub-micro, waterproof, metal gear         6553X       Telemetry expander 2.0 and GPS module 2.0, TQi radio system         6550X       Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)         6551X       Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)         6509R       TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)         6507R       TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)         6530       Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)         6511       Traxxas Link™ Wireless Module		
<ul> <li>6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system</li> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		
<ul> <li>6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link<sup>™</sup> enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link<sup>™</sup> Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link<sup>™</sup> enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link<sup>™</sup> Wireless Module</li> </ul>		· · · · ·
<ul> <li>#6551X GPS module)</li> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		
<ul> <li>6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	OOOA	
<ul> <li>#6550X telemetry expander)</li> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>	6551X	
<ul> <li>6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)</li> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		
Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)         6507R       TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)         6530       Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only)         6511       Traxxas Link™ Wireless Module	6509R	• • •
<ul> <li>6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</li> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		
receiver)         6530         Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)         6511         Traxxas Link™ Wireless Module	6507R	
<ul> <li>6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)</li> <li>6511 Traxxas Link™ Wireless Module</li> </ul>		
channel (transmitter only) 6511 Traxxas Link™ Wireless Module		receiver)
6511 Traxxas Link™ Wireless Module	6530	
2261 V-barness BEC		
	2261	Y-harness, BEC

## **Ready-To-Race Model**

92056-4	TRX-4® High Trail Edition™ with 1979 Chevrolet® Cheyenne K10
	Truck Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled
	2.4GHz Radio System
	Scale Details

	JUAIE DELAIIS
8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
8022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)
8022	Fuel canisters (red) (2)/ 3x8 FCS (1)
8022X	Fuel canisters (white) (2)/ 3x8 FCS (1)
8022A	Fuel canisters (yellow) (2)/ 3x8 FCS (1)
8023T	Jack (black) (1)/ 2x8 BCS (1)
8023	Jack (red) (1)/ 2x8 BCS (1)
8122	Shovel/ axe/ accessory mount/ mounting hardware
8121X	Traction boards, blue/ mounting hardware
8121G	Traction boards, green/ mounting hardware
8121A	Traction boards, yellow/ mounting hardware
8121	Traction boards/ mounting hardware

	Shock Oil		Steering Components
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left
5034 5025	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	8232G	and right Caster blocks, 6061-T6 aluminum (green-anodized), left and righ
035 036	Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right
030 037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	2072X	Gear set, metal (for 2070, 2075 servos)
5029	Shock oil bottle (60cc) (for mixing shock oil)	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
	80 wt premium shock oils with spinning carousel rack)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
5038	Spinning carousel rack		adjustment shims; 3.5mm (2), 1.17mm (2)
	Shocks (GTS)	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
266	Body, GTS shock (aluminum, silver-anodized) (1)	0070	(4))
266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)	8276 8277	Rod ends (10) Rod ends, angled 10-degrees (8)
3266A	Body, GTS shock, aluminum (blue-anodized) (1)	2742	Rod ends, long (6)/ hollow ball connectors (6)
266G	Body, GTS shock, aluminum (green-anodized) (1)	8278	Rod ends, offset (4)
266R	Body, GTS shock, aluminum (red-anodized) (1)	8247X	Servo horn, steering, metal/ 3x14 BCS (1)
264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
	bottom cap (2)/ upper retainer (2)/ lower retainer (2))	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing
274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		waterproof
475	Multi-tool (plastic)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
261 262	Piston, damper (red) (4)/ e-clips (8) Rebuild kit GTS shocks (x-rings, o-rings, pistons, bushings, e-clips	2075	bearing), waterproof
3262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
263	Shock shaft, 3x47mm (GTS) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
	TiN shafts (assembled with spring retainers) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
	retainers) (2)		Suspension Linkage
260G	Shocks, GTS, aluminum (green-anodized) (assembled with	0050	
260R	spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne
2001	retainers) (2)		fenders, short female half shaft, battery tray, 3x8mm FCS (4))
260	Shocks, GTS, silver aluminum (assembled with spring retainers)	8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
	(2)		(includes rear upper & lower suspension links, front & rear
	Slipper Clutch Components		shock towers, long female half shaft)
292	Input shaft/ output shaft (transmission)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
292 3286	Output shafts (transfer case), front & rear	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
3254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL	8275	adjustment shims; 3.5mm (2), 1.17mm (2)
201	(1)/ spring washers (4), metal washer (1))	0215	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8249	Slipper eliminator plate	8276	Rod ends (10)
	Springs	8277	Rod ends, angled 10-degrees (8)
042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
042 043	Springs, shock (natural finish) (GTS) (0.22 rate, yenow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)	8278	Rod ends, offset (4)
044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
3041	Springs, shock (natural finish) (GTS) (0.45 rate) (2)		captured (4)
040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
	Spur Gears & Pinion Gears	8248 8245	Suspension link, rear, 5x109mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
740	-	0243	
746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Team Traxxas Items
6747 6942X	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	2514	Decal sheet, racing sponsors
	(fits 3mm shaft)/ set screw	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
	(fits 3mm shaft)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)		Tires & Wheels
	(fits 3mm shaft)/ set screw	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)	8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
0467	(fits 3mm shaft)/ set screw	8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
8947X	(fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)	8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)	8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)	8169 8168	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168 8164	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)	8164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
	(fits 3mm shaft)/ set screw	8164X	Center caps, wheel (chrome) (front (2), rear (2))/ decal sheet
8951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	0107/	(requires #8255A extended stub axle)
3952X	(fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
	(fits 3mm shaft)/ set screw		extended thread stub axle)
	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
745		47470	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
	Spur gear, 39-tooth (32-pitch)	1747G	
<b>6745</b> 8052 8053		1747G 1747T 1747P	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)

#### Page 7 TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92056-4) Parts List

Page 7	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Tra
1747A 8174	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Tires and wheels, assembled (Method 105 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1
8172	left, 1 right) Tires and wheels, assembled (Method 105 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
8166X	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
8166	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
8177	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
8183X	Tires and wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #8255A extended thread stub axle)
8184	Tires and wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2) (requires #8255A extended thread stub axle)
8182	Tires and wheels, assembled, glued (Method 105 1.9" black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
8273	Tires and wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
8272X	Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)
8272	Tires and wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
8179	Tires and wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) (for use with TRX-4 Long Arm Lift Kit)
<b>8270</b> 8170	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)
8269 <b>8269X</b>	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)
8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)
8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately)
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8268 8271	Wheels, Tactical 1.9 (2) Wheels, TRX-4® 1.9 (2)
8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8178 8180	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift
	<sup>kit)</sup> Transmission Components
8283	Cable, T-lock (front)
8284	Cable, T-lock (rear)
9283 8195	Cable, T-lock, rear (185mm) Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
8289 8293X	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285 5041	Gears, transfer case (3) Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A 8290G	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)

- Output drive, transmission or differential (pin retainer (1)/ drive cup 8295 (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1) 8294 Output gear, high range, 24T (metal) 8286 Output shafts (transfer case), front & rear 8290 Plate, motor/ upper spur gear cover Slipper eliminator plate 8249
- 8296 Transmission gears, single speed, metal
- 8196 Two speed conversion kit

## Traxxas Tools

	I FAXXAS I OOIS
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight:
	1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight:
	1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
	7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
	includes premium handle (medium), travel pouch, hex drivers
	(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 2.0mm), 1/4" drive
8719	2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium
0/19	handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
	drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
	3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
0745	2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
27401	2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
	wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
	drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
	driver handle
	<b>TRX-4® Traxx®</b>
8889	Bearing retainers, inner (2), outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1
	each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891 8881	Tension wheels (6)/ road wheels (4)
0001	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061
0002	GTR shock, & #8878 or #8895 rubber track)
8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061
	GTR shock, & #8879 or #8896 rubber track)
8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061
	GTR shock, & #8879 or #8896 rubber track)
8880	Traxx®, TRX-4® (4) (complete set, front & rear)
8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber)
0000	(1) Tarada All Tamaia TDV 40 Taraw (area 144 an right) (wherea)
8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
	(1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS (1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM

Motor mount plate, 6061-T6 aluminum (red-anodized) 8290R

Motor mount plate, 6061-T6 aluminum (green-anodized)

8290G