

Stampede® (Model 36254-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		axles (2)/ rubber tires (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)		Chassis & Attachments
1675	Bushings, self-lubricating (5x11x4mm) (14)	9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) B01V & Accessories	9463	BCS (with threadlock) (2) Axle, wheelie bar, 6061-76 aluminum (gray-anodized) (1)/ 3x12
1926	Antenna caps, vinyl (2)/ antenna spool	9463G	BCS (with threadlock) (2)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3651X	Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied)	9463A	Axle, wheelie bar, 6061-76 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3620-BLUE	Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for	9463P	Axle, wheelie bar, 6061-76 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)
	clipless mounting)	3725X	Battery expansion kit (allows for installation of taller multi-cell
3620A-BLUE	Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)	3627X	battery packs) (Rustler, Bandit, Stampede) (requires part #3627X) Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
3651G	Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied)	1834 3934	Body Clips (12) (standard size) Body clips, heavy duty (12)
3620-GRN	Body, Stampede® (also fits Stampede® VXL), green (painted,	3614X	Body mounts, front & rear (for clipless body mounting)
	decals applied) (assembled with front & rear body mounts for	3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
00004 001	clipless mounting)	2530-BLK	Bulkhead (front) (black)
3620A-GRN	Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless	2530-GRAY	Bulkhead (front) (gray)
	mounting)	2735	Bumper (front)
3651T	Body, Stampede® (also fits Stampede® VXL), orange (painted,	2735P	Bumper (front) (pink)
3620-PINK	decals applied) Body, Stampede® (also fits Stampede® VXL), pink (painted,	3635	Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12 BCS (2) (fits 2WD Stampede®) (for LED light kit installation)
	decals applied) (assembled with front & rear body mounts for clipless mounting)	3622X	Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
3620A-PINK	Body, Stampede® (also fits Stampede® VXL), pink (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)	3622R	Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting
3651P	Body, Stampede® (also fits Stampede® VXL), purple (painted, decals applied)	3626R	plate) Mounting plate, electronic speed control/receiver box (for installation
3651	Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied)	3629	of XL-5/VXL and waterproof receiver box into Stampede®) Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3620A-RED	Body, Stampede® (also fits Stampede® VXL), red (painted, decals	3639	Shock tower (front)
	applied) (assembled with front & rear body mounts for clipless	3638R	Shock tower (rear) (for clipless body mounting)
	mounting)	9462X	Side plates, wheelie bar, blue (aluminum) (2)
3620-RED	Body, Stampede® (also fits Stampede® VXL), red (painted,	9462 9462G	Side plates, wheelie bar, charcoal gray (aluminum) (2)
	decals applied) (assembled with front & rear body mounts for	9462A	Side plates, wheelie bar, green (aluminum) (2) Side plates, wheelie bar, orange (aluminum) (2)
3617	clipless mounting) Body, Stampede® (clear, requires painting) (requires #3614 to	9462P	Side plates, wheelie bar, orange (aluminum) (2)
0011	mount)/window, lights, grill decal sheet	9462R	Side plates, wheelie bar, red (aluminum) (2)
6729L	Body, Stampede® 4X4, ProGraphix® (graphics are printed,	3623-BLK	Skid plates, front & rear (black)
	requires paint & final color application)/ decal sheet	3623-BLUE	Skid plates, front & rear (blue)
3649	Body, Stampede®, Hawaiian graphics (painted, decals applied)	3623-GRN	Skid plates, front & rear (green)
3651L	Body, Stampede®, ProGraphix® (graphics are printed, requires	3623-PINK	Skid plates, front & rear (pink)
0544	paint & final color application)/ decal sheet	5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
2514 3616	Decal sheet, racing sponsors	4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3619X	Decal sheets, Stampede® Latch, body mount, front (1), rear (1)/ latch mounts, front & rear (left &	3677X	Wheelie bar mount (1) / hardware (blue)
30197	right) (for clipless body mounting)		Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3677P 3677	Wheelie bar mount (1) / hardware (plink) Wheelie bar mount (1) / hardware (Stampede®, Rustler®, Bandit
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	3011	series)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	9464	Wheelie bar mount (heavy duty)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
3677X	Wheelie bar mount (1) / hardware (blue)		LED light kit installation)
3677A	Wheelie bar mount (1) / hardware (green)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®,
3677P 3677	Wheelie bar mount (1) / hardware (pink) Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit	3678X	Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit
3678	series) Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®,	3678A	series) Wheelie bar, assembled (green) (fits Slash®, Stampede®,
3678X	Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	3678T	Rustler®, Bandit® series) Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
3678A	series) Wheelie bar, assembled (green) (fits Slash®, Stampede®,	3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,
3678T	Rustler®, Bandit® series) Wheelie bar, assembled (orange) (fits Slash®, Stampede®,	3678R	Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,
3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,		Bandit® series)
JUIUF	Bandit series)	9460X	Wheelie bar, black (assembled)/ wheelie bar mount Wheelie bar, black chrome (assembled)/ wheelie bar mount
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
4070	Bandit® series)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
4976 5186A	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	E400	axles (2)/ rubber tires (2) Wheele sluminum (red anodized) (2)/ 5x2mm bell bearings (4)/
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Page 2	Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Pa	arts List	
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with
9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	9150-RED	#9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	9136-BLUE	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9461	Wheels, wheelie bar, black (26mm (2), 18mm (2)) Diff(e)(e)(till) Components	9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,	9136-GRN	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/
2381X	Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit,	0.00 0	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2382	Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment	9136-ORNG	
2388X	shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit,	9136-RED	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/
5169	Stampede®, Rustler®) Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
1647	Silicone Grease	9180	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
	Driveline Components	9180-BLUE	black (fits Rustler® 2WD or Stampede® 2WD) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
3637	Axles (front) (2)		blue (fits Rustler® 2WD or Stampede® 2WD)
5116 9150	Ball bearings, blue rubber sealed (5x11x4mm) (2) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	9180-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Rustler® 2WD or Stampede® 2WD)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9180-GRN	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Rustler® 2WD or Stampede® 2WD)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9180-ORNG	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Rustler® 2WD or Stampede® 2WD)
9150-GRAY		9180-RED	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Rustler® 2WD or Stampede® 2WD)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3638R	Shock tower (rear) (for clipless body mounting)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	#9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
6828A	9181, 9182 upgrade kit) Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
6852A	screw pin (2) Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)	9137-ORNG	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
1951R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)	9137-RED	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
6751 6757	Half shaft, internal splined (steel-spline constant velocity) (1) Rebuild kit, steel-splined constant-velocity driveshafts (includes	0180	upgrade kit) Toe links (molded composite) (96mm center to center) (2) (assembled
	pins, dustboots, lube, and hardware)	9109	with hollow balls) (for use with #9180 upgrade kit)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)		Front Suspension & Steering
2754	Stub axle pins (4)	2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
6753 9142	Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear)	3642 3637	Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2)
3142	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
_	#9180, 9181, 9182 upgrade kit)	2530-BLK 2530-GRAY	Bulkhead (front) (black) Bulkhead (front) (gray)
	Extreme HD Upgrade Kit	2545	Bushings (plastic) (5x8x2.5mm) (4)
9195	Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)	9195	Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9194	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)	9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-BLUE	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-GRAY	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9150-GRAY		9136-GRN	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/
9150-GRN	9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)

Page 3	Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Pa	rts List	
9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	1985 1942	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)

9181 upgrade kit)
(2)
1844X
Servo saver w/ adapters
3739
Screw pin set (Rustler®/ Bandit/ Stampede®)
3639
Shock tower (front)
3965
Screws, 2.5x8mm cap-head machine (6)
9137
Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm 2587
Screws, 3x10mm caphead machine (6) (no washer)

hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 2551 Screws, 3x10mm countersunk machine (6) (hex drive) upgrade kit)

137-BLUE

Sterm BCS (2) (for use with #9180, 9181, 9182 2551 Screws, 3x10mm countersunk machine (6) (hex drive) (6) Screws, 3x12mm button-head machine (6) (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) (6) (hex dr

9137-BLUE Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm 2552 Screws, 3x12mm countersunk machine (6) (hex drive) (6)

Screws, 3x14mm button-head machine (hex drive) (6)

Screws, 3x15mm button-head machine (hex drive) (6)

9137-GRAY
Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm
hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
upgrade kit)

9137-GRN
Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm
hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
upgrade kit)

55rews, 3x15mm button-head machine (hex drive) (6)
Screws, 3x15mm flat-head machine (hex drive) (6)
Screws, 3x15mm button-head machine (hex drive) (6)
Screws, 3x15mm button-head machine (hex drive) (6)

9137-GRN Steering blocks, extreme heavy duty, green (left & right)/
3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

9137-ORNG Steering blocks, extreme heavy duty, orange (left & right)/
3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 2591 Screws, 3x23mm button-head machine (hex drive) (6)
3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 Screws, 3x30mm button-head machine (hex drive) (6)
3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 Screws, 3x30mm button-head machine (hex drive) (6)

3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

9137-RED

Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm sold pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

Screws, 3x6mm button-head machine (hex drive) (6)

upgrade kit)3931Screws, 3x8mm flat-head machine (hex drive) (6)3631Suspension arms (front) (2)2542Screws, 4x12mm countersunk machine (hex drive) (6)3631XSuspension arms, black, front, heavy duty (2)5529Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
captured (4)3631ASuspension arms, blue, front, heavy duty (2)captured (4)

3631GSuspension arms, green, front, heavy duty (2)2754Stub axle pins (4)3631TSuspension arms, orange, front, heavy duty (2)3740Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens3631RSuspension arms, red, front, heavy duty (2)caster blocks)

9142 Suspension pin set, extreme heavy duty, complete (front and rear)
(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with
#9180, 9181, 9182 upgrade kit)

3740 Suspension pin set, extreme heavy duty, complete (front and rear)
(2.5x26mm (4), 3x32mm (2), 3x40mm (2)) (for use with
#9180, 9181, 9182 upgrade kit)

3795 LED light harness, rear (requires #

3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) 3795 (strengthens caster blocks)

2532 Tie bar, fiberglass (requires suspension pins, part# 2640)

Toe links (molded composite) (96mm center to center) (2) (assembled 2263 Toe links (molded composite) (96mm center to center) (2) (assembled 2263 Toe links (molded composite) (96mm center to center) (2) (assembled 2263 Toe links (molded composite) (96mm center to center) (2) (assembled 2263 Suspension pins, part# 2640) Stampede®)

with hollow balls) (for use with #9180 upgrade kit)

3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)

91

3643

3934

Body clips, heavy duty (12)

3790 Gear adapter, fixed 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm 2053 Gear set (for 2055, 2056 servos) (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for 2072A Gear set (for 2070, 2075 servos) complete camber link set) 2252 Gear set, metal (for 2250, 2255 servos) 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, Gear set, metal (for 2270 waterproof servo) 2272

39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
wrench
3785

Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
(assembled w/ rod ends & hollow balls) (fits Stampede®)

3785

Motor, Titan® 12T (12-Turn, 550 size)

Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)

(requires 5mm aluminum wrench #5477)

3626R

Turnbuckles, aluminum (green-anodized), camber links, front,
39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
wrench

Turnbuckles, aluminum (orange-anodized), camber links, front,
2253

Turnbuckles, aluminum (orange-anodized), camber links, front,
2251

Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for

3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 2271 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 30mm (2), rear, 49mm (2

wrench 2075 Servo, digital high-torque (ball bearing), waterproof

3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 2255 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof

Turnbuckles, aluminum (red-anodized), toe links, 61mm
(2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)

3644
Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

2280
Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
Servo, digital high-torque, metal gear (ball bearing), waterproof
Servo, digital high-torque, metal gear (ball bearing), waterproof

Turnbuckles, camber link, 49mm (82mm center to center)
(assembled with rod ends and hollow balls) (1 left, 1 right)

2075
Servo, digital high-torque, metal gear (ball bearing), waterproof
Servo, high-torque, metal gear (ball bearing), waterproof
Servo, high-torque, metal gear (ball bearing), waterproof
Velineon® VXL-3s Brushless Power System, waterproof
(includes VXL-3s waterproof ESC, Velineon® 3500 motor, and

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1728 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1729 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1735 WXL-3s Waterproof Electronic Speed Control (brushless)
(fwd/rev/brake)
1729 XL-5 Electronic Speed Control, waterproof (land version, low-voltage)
1736 XL-5 Electronic Speed Control, waterproof (land version, low-voltage)

Rustler® (contains all

voltage)

Motors & Electronics

BEC assembly (complete) (12.6 volts (3s LiPo) maximum input

3787 Hardware kit, Bandit®/Stampede®/Rustler® (contains all hardware used on Bandit®, Stampede®, or Rustler®) 2745 Nuts, 3mm nylon locking (12) 2728 Rardware kit, Bandit®/Stampede®, Rustler® (contains all hardware used on Bandit®, Stampede®, or Rustler®) 2745 Nuts, 3mm nylon locking (12) 2720 3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell

1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) 3000mah 7.4v 2-Cell LiPo Battery 2827X 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8) 2923X 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell 1747 Nuts, 4mm nylon locking (10) 2926X 3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) 2942X 3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell

1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) 2940X 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) 2941X 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) 2952X 4200mAh 7.2V 6-cell

Page 4	Stampede®:	TQ™ 2.4	GHz radio	(Model 36254-8)) Parts List
--------	------------	----------------	-----------	-----------------	--------------

4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery 2961X 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC adapter 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) 1726 Antenna, tube (1) vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators, green (4), grey (4), blue (4) 6548 Battery charge indicators, green (4), grey (4), blue (4) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2992 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2992 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2992 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2992 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2994 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2995 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2923X 300	high output, 4-
5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell 5000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 7-cell 25C LiPo Battery 5010mAh 8.4V 7-cell NiMH 5000mAh 7.4v 2-Cell 7.4v 7.5v 7.5v 7.5v 7.5v 7.5v 7.5v 7.5v 7.5	ion, low-voltage
2960X 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 2961X 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC adapter 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators, green (4), grey (4), blue (4) 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) 2914 Battery, Power Cell AA Alkaline (4) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2985 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2986 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2986 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2986 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2986 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2986 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2987 Carriers, stub axle, rear, extreme heavy duty, blue iD® battery (1)) 2988 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2989 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))	ion, low-voltage
2961X 5800mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 3018R 7600mah 7.4v 2-Cell 765 8018R 7600mah	4GHz radio
2869X 7600mah 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC adapter 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators, green (4), grey (4), blue (4) 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) 2914 Battery, Power Cell AA Alkaline (4) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2985 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2986 Carriers, stub axle, rear, extreme heavy duty, blad 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use 9181, 9182 upgrade kit) 2987 Carriers, stub axle, rear, extreme heavy duty, blad 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use 9181, 9182 upgrade kit) 2988 Carriers, stub axle, rear, extreme heavy duty, blad 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use 9181, 9182 upgrade kit)	4GHz radio
AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) AC to DC adapter detection, fwd/rev/brake) Stampede®: 1/10 Scale Monster Truck with TQ™ 2.4 system Stampede®: 1/10 Scale Monster Truc	4GHz radio
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators, green (4), grey (4), blue (4) 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) 2914 Battery, Power Cell AA Alkaline (4) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2985 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2986 Carriers, stub axle, rear, extreme heavy duty, blue states the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2987 Carriers, stub axle, rear, extreme heavy duty, blue states the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2988 Carriers, stub axle, rear, extreme heavy duty, blue states the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2989 Carriers, stub axle, rear, extreme heavy duty, blue states the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))	
batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Stampede®: 1/10 Scale Monster Truck with TQ™ 2.4 system Stampede®: 1/10 Scale Monster Truck with Tomped	
Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) S116 Ball bearings, blue rubber sealed (5x11x4mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center (assembled with hollow balls) (for use with #9180 up (assembled with hollow balls) (for use with #9180 up 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use 9181, 9182 upgrade kit) P150-BLUE Carriers, stub axle, rear, extreme heavy duty, blue (assembled with hollow balls) (assembled with	
Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) System RGRISUS[IG][S][I	
Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) 5116 Battery, Power Cell AA Alkaline (4) 5116 Battery, Power Cell AA Alkaline (4) Battery(charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm cente (assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, blad 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use 9181, 9182 upgrade kit) P150-BLUE Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm cente (assembled with hollow balls) (for use with #9180 up 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use 9181, 9182 upgrade kit) S116 Battery charger completer pack (includes #2969 2-amp NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH yeak detecting AC charger (1), #2926X 3000mAh	
transmitter) 2914 Battery, Power Cell AA Alkaline (4) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2926X	
2914 Battery, Power Cell AA Alkaline (4) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2985 Battery/charger completer pack (includes #2969 2-amp NiMH system of the composition of the composition (2) assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black into the composition (2) assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black into the composition (2) assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black into the composition (2) assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black into the composition (2) assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black into the composition (2) assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black into the composition (2) assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black into the composition (2) assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black into the composition (2) assembled with hollow balls) (for use with #9180 up carriers) (2) assembled with hollow balls) (for use with #9180 up carriers) (2) assembled with hollow balls) (for use with #9180 up carriers) (2) assembled with hollow balls) (for use with #9180 up carriers) (2) assembled with hollow balls) (for use with #9180 up carriers) (2) assembled with hollow balls) (3) assembled with hollow balls) (6) assembled with hollow balls)	
Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH peak detecting AC charger (1), #292	
peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up iD® battery (1)) 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) 2984 (assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up to Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up to Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (assembled with hollow balls) (for use with #9180 up to Carriers, stub axle, rear, extreme heavy duty, black study in the peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH (1),	r to center) (2)
Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH plus pattery (1)) 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use pins) pins (2)/ 3x1	
peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH 9181, 9182 upgrade kit) iD® battery (1)) 9150-BLUE Carriers, stub axle, rear, extreme heavy duty, blue	k (left & right)/
iD® battery (1)) 9150-BLUE Carriers, stub axle, rear, extreme heavy duty, blue	with #9180,
2992 Dattery/Charger completer back includes #2970 iDW charger (1). 3x31mm ninge nins (2)/3x18mm RCS (2) ifor lise	
	with #9180,
#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) 9181, 9182 upgrade kit) 2985-2S Battery/charger completer pack (includes #2985 charger (1), 9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (li	oft & right\/
#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use wi	
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input 9182 upgrade kit)	
voltage) 9150-GRN Carriers, stub axle, rear, extreme heavy duty, gre	en (left & right)/
2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use	with #9180,
2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery 9181, 9182 upgrade kit)	
Identification 9150-ORNG Carriers, stub axle, rear, extreme heavy duty, ora	• '
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto right/) 3x31mm hinge pins (2)/ 3x18mm BCS (2) (f	or use with
Battery Identification #9180, 9181, 9182 upgrade kit) 2970 Charger, EZ-Peak Plus, 4 amp. NiMH/LiPo with iD Auto Battery 9150-RED Carriers, stub axle, rear, extreme heavy duty, red	(loft & right)/
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery 9150-RED Carriers, stub axle, rear, extreme heavy duty, red ldentification 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use	
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto 9181, 9182 upgrade kit)	
Battery Identification 3638R Shock tower (rear) (for clipless body mounting)	
2985 Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto 3655P Suspension arms, blue, front/rear (left & right), he	avy duty (2)
Battery Identification 3655R Suspension arms, front/rear (left & right), heavy of	luty (2)
2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 3655G Suspension arms, green, front/rear (left & right), I	neavy duty (2)
2971 EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto 3655X Suspension arms, left & right	
Battery Identification and Bluetooth® 3655T Suspension arms, orange, front/rear (left & right)	
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) 3655L Suspension arms, red, front/rear (left & right), he	
2053 Gear set (for 2055, 2056 servos) 9142 Suspension pin set, extreme heavy duty, complete (f	,
2072A Gear set (for 2070, 2075 servos) (2.5x26mm (4), 3x32mm (2), 3x46mm (2), 3x46mm (2), 3x46mm (3), 3x46mm (4), 3x32mm (2), 3x46mm (4), 3x32mm (2), 3x46mm (5), 3x46mm (7), 3x46mm (8), 3x46mm (2)) (for use with
2272 Gear set, metal (for 2270 waterproof servo) #9180, 9181, 9182 upgrade kit) 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for 3640 Suspension screw pin set, steel (hex drive) (requ	ires part # 2640
Traxxas® iD® batteries) for a complete suspension pin set) (Rustler®, Sta	
2968 LiPo cell voltage checker/balancer (requires #2938X adapter forBandit)	<u> </u>
Traxxas® iD® batteries)	
6557X Mount, telemetry expander (fits Stampede® 2WD) 5031 Oil shock (20 wt 200 cSt 60cc) (silicone)	
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal 5032 Oil shock (30 wt 350 cSt 60cc) (silicone)	
pad Oil abaab (40 or 500 a O4 COas) (allianas)	
2912 Fower adapter, AC, USB-C (45W) (110 Voit, North America Offly) 5024 Oil shook (50 ust 600 oft 6000) (silicano)	
2916 Power cable, USB-C, 100W (high output), 5 ft. (1.5m) 6519 Receiver, micro, TQ 2.4GHz (3-channel) 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	
6526 Sensor, auto-detectable, temperature 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	
6527 Sensor, auto-detectable, voltage 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	
6522 Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1) 5029 Shock oil bottle (60cc) (for mixing shock oil)	
6521 Sensor, temperature and voltage (long) 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt,	
2271 Servo case/ gaskets (for 2270 waterproof servo) 80 Wt premium snock oils with spinning carousei	rack)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos) 5038 Spinning carousel rack	
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof	
2075 Servo, digital high-torque (ball bearing), waterproof 2664 Big Bore shock cylinder (long) (1)	
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 5862 Big Bore shocks (hard-anodized & PTFE-coated	
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof (assembled with TiN shafts and springs) (front &	, , ,
2056 Servo, high-torque, waterproof (blue case) 2660 Big-bore shocks (long) (hard-anodized & PTFE-co	
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system aluminum) (assembled with TiN shafts) w/o sprin	
6550X Telemetry expander 2.0, TQi radio system (for use only with 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE	
#6551X GPS module) aluminum) (assembled with TiN shafts) w/o sprin	
#6551X GPS module) aluminum) (assembled with TiN shafts) w/o sprin 6551X Telemetry GPS module 2.0, TQi radio system (for use only with 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock module	. 5 5
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) aluminum) (assembled with TiN shafts) w/o sprin Piston head set (2-hole (2)/ 3-hole (2))/ shock module 2.0, TQi radio system (for use only with #6550X telemetry expander) & washers (2) (Big Bore Shocks)	
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) aluminum) (assembled with TiN shafts) w/o sprin Piston head set (2-hole (2)/ 3-hole (2))/ shock module 3.0, TQi radio system (for use only with #6550X telemetry expander) & washers (2) (Big Bore Shocks)	
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 1942 aluminum) (assembled with TiN shafts) w/o sprin Piston head set (2-hole (2)/ 3-hole (2))/ shock mode washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors	
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 1942 Sx8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) System (2) Telemetry trigger magnet, 5X2mm (1) Telemetry trigger magnet, 5X2mm (1) System (2) System (3) System (2) System (2) System (3) System (2) System (2) System (3) System (2) System (3) System (2) System (2) System (3) System (2) System (3) System (2) System (3) System (3) System (2) System (3) System (3) System (3) System (2) System (3) System (4) System (3) System (4) System (
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 1942 Sax8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5x2mm (1)/ 2742X Telemetry trigger magnet, 5x2mm (1)/ 2742X TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) #6551X GPS module aluminum) (assembled with TiN shafts) w/o sprin Piston head set (2-hole (2)/ 3-hole (2))/ shock mod & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) (Big Bore Shocks) Shock rebuild kit (for 2 shocks)	(18)/ ball screws
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 1942 Sax8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5x2mm (1) 2742X Telemetry trigger magnet, 5x2mm (1) 2742X Tolemetry trigger magnet, 5x	(18)/ ball screws
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 1942 Sx8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5x2mm (1) Toli 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® 1664T Shock shafts, hardened steel, titanium nitride coal Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro 2656T Shock shafts, hardened steel, titanium nitride coal Shock shafts, hardened steel, t	(18)/ ball screws
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 1942 Sx8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) Toli 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with TiN shafts, washer (2) (Big Bore Shocks) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output	(18)/ ball screws
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 1942 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)/ 2742X Toli 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® 1664T Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Telemetry trigger magnet, 5x2mm (1)/ 1942 Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) (Big Bore Shocks) Shock shafts, hardened steel, titanium nitride con the shafts hardened steel, titanium nitri	(18)/ ball screws
#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 1942 Sx8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) Telemetry trigger magnet, 5X2mm (1) Telemetry trigger magnet, 5X2mm (1) Tolic 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with TiN shafts) w/o sprin head set (2-hole (2)/3-hole (2)/1 shock washers (2) (Big Bore Shocks) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® TQi 2.4 G	(18)/ ball screws

2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	9189	Toe links (molded composite) (96mm center to center) (2) (assemb with hollow balls) (for use with #9180 upgrade kit)
	Shocks)	2336	Turnbuckles, 78mm (2)
5860	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®)
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)	2336X	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm
	Shocks (Ultra Shocks)		(2)(assembled with rod ends & hollow balls) (fits Stampede®)
3765A	Body, Ultra Shock (long) (grey) (2)		(requires 5mm aluminum wrench #5477)
3766A	Body, Ultra Shock (XXL) (grey) (2)		Suspension Linkage
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	9195	Camber links, front (molded composite) (69mm center to center) (2 (assembled with hollow balls) (for use with #9180 or 9181 upgrade
2742X	Rod ends, short (6)/ hollow balls (6)	9194	kit)
3767	Shock caps (2)/ shock bottoms (2)	9194	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
3361 3767A	Shock caps (black) (4) (assembled with hollow balls) Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)		screws (2)
3767T	Shock caps, aluminum (groon unouized) (4) (fits all Ultra	2742	Rod ends, long (6)/ hollow ball connectors (6)
	Shocks)	3642	Shoulder screws, Ultra Shocks (3x12) (6)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	9142	Suspension pin set, extreme heavy duty, complete (front and rear)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)		(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use wit #9180, 9181, 9182 upgrade kit)
2362	Shock rebuild kit (for 2 shocks)	9189	Toe links (molded composite) (96mm center to center) (2) (assemb
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	0.00	with hollow balls) (for use with #9180 upgrade kit)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39n
1664	(2) Shock shafts, steel, chrome finish (long) (2)		(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
2656	Shock shafts, steel, chrome finish (xx-long) (2)		complete camber link set)
3642	Shoulder screws, Ultra Shocks (3x12) (6)	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49m
1765	Silicone diaphragms (4)		(1) (assembled with rod ends & hollow balls) (See part 3741X f complete camber link set)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39m
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole	0,0,	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for
	(2))		complete camber link set)
3758	Springs (front) (2)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mn
3758T	Springs, blue (front) (2)		(1) (assembled with rod ends & hollow balls) (See part 3741X f
3757T	Springs, blue (rear) (2)	4007	complete camber link set)
3758A	Springs, green (front) (2)	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
3757A 3758P	Springs, green (rear) (2) Springs, pink (front) (2)	2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3757P	Springs, pink (rear) (2)	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
3757	Springs, rear (black) (2)	•	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ball
1957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)		wrench
3758X	Springs, white (front) (2)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
3757X	Springs, white (rear) (2)		(assembled w/ rod ends & hollow balls) (fits Stampede®)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	3741G	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front,
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ball wrench
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ball
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &	3741P	wrench Turnbuckles, aluminum (pink-anodized), camber links, front,
	springs) (rear) (2)	07411	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ball
	Slipper Clutch Components		wrench
3793	Input shaft (slipper shaft) / spring pin	3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/		39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
	4.0mm NL (1)/ 5.0mm NL (1))	2226V	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm
2554	Screws, 3x6mm caphead machine (hex drive) (6)	2336X	(2)(assembled with rod ends & hollow balls) (fits Stampede®)
5556	Slipper pressure plate & hub (aluminum alloy)		(requires 5mm aluminum wrench #5477)
	Spur Gears & Pinion Gears	3644	Turnbuckles, camber link, 39mm (69mm center to center)
3790	Gear adapter, fixed		(assembled with rod ends and hollow balls) (1 left, 1 right)
2416	Gear, 16-T pinion (48-pitch) / set screw	3643	Turnbuckles, camber link, 49mm (82mm center to center)
1918	Gear, 18-T pinion (48-pitch) / set screw	2645	(assembled with rod ends and hollow balls) (1 left, 1 right)
2419	Gear, 19-T pinion (48-pitch) / set screw	3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)
2421	Gear, 21-T pinion (48-pitch) / set screw		
2423 1725	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw		Team Traxxas Items
676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
.070	slipper clutch)	2514	Decal sheet, racing sponsors
1683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, similar)
686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)	9950 9909	Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)
690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper	5440	Tires & Wheels
	clutch)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	Steering Components	1675	Bushings, self-lubricating (5x11x4mm) (14)
2545 9195	Bushings (plastic) (5x8x2.5mm) (4) Camber links, front (molded composite) (69mm center to center) (2)	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #685 #6469)
	(assembled with hollow balls) (for use with #9180 or 9181 upgrade	1747P 3647	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (Nuts, 4mm flanged nylon locking (steel, serrated) (8)
		JUTI	riais, film nanged nylon locking (steel, Selfated) (0)
2742	kit) Rod ends, long (6)/ hollow ball connectors (6)	1747	Nuts, 4mm nylon locking (10)

Page 6 Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Par	ts List
---	---------

Must, aluminum, flanged, surrated (aming fresh anodized) (b) 2002 FTEC soulded Washers, Guide, Surrated (aming fresh anodized) (b) FTEC soulded Washers, Guide, Surrated (aming fresh anodized) (c) FTEC soulded Washers, Guide, Surrated (aming fresh anodized) (c) FTEC soulded Washers, Guide, Surrated (aming fresh anodized) (c) FTEC soulded Washers, Guide, Surrated (aming fresh anodized) (c) FTEC soulded Washers, Guide, Surrated (aming fresh anodized) (c) FTEC soulded Washers, Guide, Surrated (aming fresh anodized) (c) FTEC soulded Washers, Guide, Surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (AMS attack chrome wheels, part of the surrated) (gliest) (2.87) (ams attack chrome) (gliest) (ams attack chrome) (g	rage o	Stampedee: 1 2 2.7 GHZ Tadio (Model 30237-0) Fa		
Nuts. aluminum. Ranged, serrated (num) (red-anotized) () 9485 9772 Cround Variables, South Somm (20) (anoth to blastings) 9782 Silcose Cisease 9783 Silcose Cisease 9784 Silcose Cisease 9785 Arren (1)	1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (grange-anodized) (4)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
Silcone Grassa Tires & Avhands, assembled, glaud (2.8°) (All-Size bland: chrome wheels, parlied ires, from inserts) plactic read (2.9°) (Tibble parlied) Tires & Avhands, assembled, glaud (2.8°) (All-Size black chrome wheels, ratio free, from inserts) plactic read (2.0°) (Tibble parlied) Fig. 2006 Tires & Velveis, assembled, glaud (2.8°) (All-Size black chrome wheels, ratio fires, from inserts) (plactic read (2.0°) (Tibble parlied)) Fig. 2006 Tires & Velveis, assembled, glaud (2.8°) (All-Size chrome wheels, ratio fires, from inserts) (plactic read (2.0°) (Tibble parlied)) Fig. 2007 Tires & Velveis, assembled, glaud (2.8°) (All-Size chrome wheels, ratio fires, from inserts) (plactic read (2.0°) (Tibble parlied)) Fig. 3008 Tires & Velveis, assembled, glaud (2.8°) (All-Size chrome wheels, ratio fires, from inserts) (plactic read (2.0°) (Tibble parlied)) Fig. 4008 Tires & Velveis, assembled, glaud (All-Size chrome wheels, ratio fires, from inserts) (plactic read (2.0°) (Tibble parlied)) Fig. 5708 Tires & Velveis, assembled, glaud (All-Size chrome wheels, ratio fires, from inserts) (plactic read (2.0°) (Tibble parlied)) Fig. 5709 Fig. 5709 Fig. 5700 Fig. 570			9495	
Subs and pms (4) Subs and pms	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		• • • • • •
wheels, passerhied, glued (23°) (All-Star black chrome wheels, Fars from the content metro) (electric rear) (278 Mars and the content of the			5552X	
wheels, paddle fires, foam inserts jelectric reary [2] (TSM0 rated) 568.4 A wheels, sassembled, glues (2.57) (ASI-braid pade comme whose), factors, sampled glues (2.57) (ASI-braid pade comme whose), factors, foam inserts) (clicric reary (2) (TSM0 rated) 569.4 Tiers & wheels, sassembled, glues (2.57) (ASI-braid pade pade pade pade pade pade pade pad			2554	
Tree & wheels, assembled, glued (2.87) (Al-Starb black chrome wheels, Tark S wheels, assembled, glued (2.87) (Al-Starb black chrome wheels, Tark S wheels, assembled, glued (2.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (2.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (2.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (2.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (2.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (2.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (2.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (3.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (3.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (3.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (3.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (3.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (3.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (3.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (4.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (4.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (4.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (4.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (4.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (4.87) (Al-Star black chrome wheels, Tark S wheels, assembled, glued (4.87) (Al-Star black chrome) (4.87) (Al-Sta	3689	wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated		Screws, 3x8mm washerhead machine (large head for motor mount)
Tree & wheels, assembled, glued (2.87) (All-Star chrome wheels, Tarlout, and the start of the	3668A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome		Silicone Grease
whoels, Talon imports) (pittor ranaridector front) (2) (TSMB 5866 Refer) Trees, Alwester, Seasonshed, Quied CEP, (Isal-Bate chrome wheels, Talon tires, foam inserts) (objectic rear) (7) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1				
stampeded, Sisawiy Talon fires, foam inserts) (electric rear) (2) Talon fires, foam inserts) (electric rear) (3) Tires & wheels, assembled, glued (All Star black chrome wheels, Anacondab tires, foam inserts) (electric rear) (1) (11, 11, 11, 11, 11, 11, 11, 11, 11, 11	3669A	, , , , , , , , , , , , , , , , , , , ,		• • • • • •
Tree & wheels, assembled, glued (2.8°) (All-Star chrome wheels, Tere & wheels, assembled, glued (2.8°) (All-Star chrome wheels, Anacondos Bres, foam inserts) (electric reary) (1 elf.; right) (1.8°)			3095	
Sep 1 Tation fires, from inserts) (electric rest) (al. Star chrome wheels, assembled, glued (All Star charek wheels, assembled, glued (All Star chrome wheels, assembled, glued (All Star chrome wheels, Anacond® tires, from inserts) (electric rest) (1 eleft, 1 right) Tres & wheels, assembled, glued (All Star chrome wheels, Anacond® tires, from inserts) (electric rest) (1 eleft, 1 right) Tres & wheels, assembled, glued (All Star chrome wheels, Anacond® tires, from inserts) (nitro rear electric front) (1 eleft, 1 right) Tres & wheels, assembled, glued (All Star chrome wheels, Anacond® tires, from inserts) (nitro rear electric front) (1 eleft, 1 right) Tres & wheels, assembled, glued (Black 2.8" wheels, sasembled, glued (Black 2.8" wheels, assembled, glued (Black 1.8" wheels, as	3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,		
Taton tires, Kamin ments) (nitro rear/deciric front) (2) 3773A Tires & wheels, assembled, glued (18 tar black chrome wheels, Anacondes tires, foam inserts) (electric rear) (1 tart, 1 fight) 3775 Tires & wheels, assembled, glued (18 tart chrome wheels, Anacondes tires, foam inserts) (electric rear) (1 tart, 1 fight) 3776 Tires & wheels, assembled, glued (18 tart chrome wheels, Anacondes tires, foam inserts) (10 trans electric front) (1 laft, 1 fight) 3776 Tires & wheels, assembled, glued (18 tart chrome wheels, Anacondes tires, foam inserts) (10 trans electric front) (1 laft, 1 fight) 3776 Tires & wheels, assembled, glued (18 tart chrome wheels, Fren Groove dual profile tires, foam inserts) (21 (TSM6 rated) 3787 Tires & wheels, assembled, glued (18 tart chrome wheels, Fren Groove dual profile tires, foam inserts) (21 (TSM6 rated) 3788 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 379 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 389 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 380 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 380 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 380 Tires & wheels, assembled, glued (sectric rear) (2) (TSM6 rated) 380 Tir	3660		3433X	
Ansond® tires, foam inserts) electric reary (1 sth. ft. ft.) 3778 A monord® tires, foam inserts) (1 sth. ft.) 378 A monord® tires, foam inserts) (1 sth. ft.) 378 A monord® tires, foam inserts) (1 sth. ft.) 379 A monord® tires, foam inserts) (1 sth. ft.) 370 A monord® tires, foam inserts) (1 sth. ft.) 371 A monord® tires, foam inserts) (1 sth. ft.) 372 A monord® tires, foam inserts) (1 sth. ft.) 373 A monord® tires, foam inserts) (1 sth. ft.) 374 A monord® tires, foam inserts) (1 sth. ft.) 375 A monord® tires, foam inserts) (1 sth. ft.) 376 A monord® tires, foam inserts) (1 sth. ft.) 377 A monord® tires, foam inserts) (1 sth. ft.) 378 A monord® tires, foam inserts) (1 sth. ft.) 379 A monord® tires, foam inserts) (1 sth. ft.) 379 A monord® tires, foam inserts) (1 sth. ft.) 370 Tires & wheels, assembled, glued (Black 2.8" wheels, 386 A monord® tires, foam inserts) (1 sth. ft.) 387 A monord® tires, foam inserts) (1 sth. ft.) 388 A monord® tires, foam inserts) (1 sth. ft.) 388 A monord® tires, foam inserts) (1 sth. ft.) 388 A monord® tires, foam inserts) (1 sth. ft.) 388 A monord®	3003			· · · · · · · · · · · · · · · · · · ·
Tree & wheels, assembled, glued (All Star chrome wheels, Anconde® tires, form inserts) (electric reary) (1 elf., 1 Right) Anconde® tires, form inserts) (all critic reary) (1 elf., 1 Right) Tree & wheels, assembled, glued (All-Star chose wheels, Anconde® tires, form inserts) (all critic reary) (1 elf., 1 8721 right) Tree & wheels, assembled, glued (black 2.8" wheels, anconde® tires, form inserts) (2) (TSMS rated) Tree & wheels, assembled, glued (black 2.8" wheels, anconde® tires, form inserts) (2) (TSMS rated) Tree & wheels, assembled, glued (black 2.8" wheels, and anconde® tires, form inserts) (all critic reary) (2) (TSMS rated) Tree & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, form inserts) (electric reary) (2) (TSMS rated) Seed all thands, premium (rubber overmold) Seed Bit Master Set, have and ruthery, 15-picce, includes premium handle (inedium), tavel pouch, hea drivers (straight tires) (all critic reary) (2) (TSMS rated) Seed Bit Master Set, have driver, 7-picce straight and ball end, includes premium handle (inedium), tavel pouch, hea drivers (all critic reary) (2) (TSMS rated) Tree & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, form inserts) (electric reary) (2) (TSMS rated) Tree & wheels, assembled, glued (sain chrome wheels, Terra Groove dual profile tires, form inserts) (electric reary) (2) (TSMS rated) Tree & wheels, assembled, glued (sain chrome wheels, Terra Groove dual profile tires, form inserts) (electric reary) (2) (TSMS rated) Tree & wheels, assembled, glued (sain chrome wheels, Terra Groove dual profile tires, form inserts) (electric reary) (2) (TSMS rated) Tree & wheels, assembled, glued (sain chrome wheels, Terra Groove dual profile tires, form inserts) (2) (TSMS rated) Tree & wheels, assembled, glued (sain chrome wheels, Terra Groove dual profile tires, form inserts) (2) (TSMS rated) Tree, Spiked 22 (RIC) (Soft Compound) winserts Tree, Spiked 22 (RIC) (TSMS rated) Tree, Spiked 22 (RIC) (Soft Compound) winserts T	3773A			· · · · ·
Anacondab tiras, foam inserts) (electric rear) (1 Left, 1 Right) 7768	.==.			·
Tres & wheels, assembled, glued (All-Star black chrome wheels, frame wheels, and misersh) (into rear' electric front) (1 left, 1 fight) 55787 Tres & wheels, assembled, glued (All-Star chrome wheels, 7279) Anacondab tres, foam inserts) (into rear' electric front) (1 left, 1 7274) Anacondab tres, foam inserts) (into rear' electric front) (1 left, 1 7274) Anacondab tres, foam inserts) (20 (TSM® rated) Tres & wheels, assembled, glued (All-Star chrome wheels, 7279) Sledgehammer® tres, foam inserts) (21 (TSM® rated) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Sledgehammer® tres, foam inserts) (21 (TSM® rated) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) SextX Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) SextX Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) SextX Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres & wheels, assembled, glued (All-Star Chrome wheels, 7279) Tres, Sledgehammer's trera-spiked (2) Tres, Sledgehammer's trera-spiked (3//3			• •
Anacondab tires, foam inserts) (nitro rear/ electric front) (1 left, 1	3776A	· · · · · · · · · · · · · · · · · ·		
Fires & wheels, assembled, glued (All-Star chrome wheels, a Fired & wheels, assembled, glued (black 2.8" wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2) (TSM® rated) 3680X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2) (TSM® rated) 3680X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2) (TSM® rated) 3680X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam inserts) (electric rear) (2) (TSM® rove dual profile tires, foam insert		Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1		
Ansconda's Bres, foam inserts) (nitro rear electric front) (1 loft, 1 8721 right) Fires & wheels, assembled, glued (black 2.8" wheels, Seed bit handle, premium (rubber overmold) Stedgehammer bit res, foam inserts) (2) (TSM® rated) Tres & wheels, assembled, glued (black 2.8" wheels, Seed bit Master Set, has and nut drivers (straight: 15mm, 25mm, 35mm, 35mm, 15mm, 25mm, 35mm, 35mm	5576D		9720	**
right) 6792 Tres & wheels, assembled, glued (black 2.8" wheels, Sledgehammere titres, foam inserts) (2) (TSMP rated) Sledgehammere) tires, foam inserts) (electric rear) (2) (TSMP rated) Sledgehammere) tires, foam inserts) (electric rear) (2) (TSMP rated) Sledgehammere) tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated) dual profile tires, foam inserts) (electric rear) (2) (TSMP rated)	55/6K			
Speed Bit Master Set, bex and nut driver; 13-piece, includes promise Skedpammered tries, foam inserts) (plectric rear) (2) (TSM® rated)				
1.5mm, 2.5mm, 2.5mm, 3.5mm), (3.6learder, 2.5mm, 3.0mm), (3.6learder, 2.5mm, 3.0mm), and rut drivers (4.5mm, 4.5mm, 2.5mm, 3.0mm), and rut drivers (4.5mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 3.0mm), and rut drivers (4.5mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 3.0mm), and rut drivers (4.5mm, 4.5mm, 5.0mm), and rut drivers (4.5mm, 5.0mm), and rut drivers (4.5mm, 4.5mm, 5.0mm), and rut drivers (4.5mm, 5.5mm, 5.5mm, 5.5mm), and rut drivers (4.5mm, 5.5mm), and rut drivers, 6.5mm, 5.5mm,	6792	= :		·
Sledgehammer® tires, foam Inserts) (electric rean) (2) (TSM® rated) Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rean) (2) (15 Mg) Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric ront) (2) (2) (2) (2) (2) (2) (2) (2) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4				
segs. Tres & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2) Tres & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric front) (2) 3663 Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear electric front) (2) 3663 Tires & wheels, assembled, glued (saftic chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2) 3665 Tires & wheels, assembled, glued (saftic chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2) 3666 Tires & wheels, assembled, glued (saftic chrome wheels, Terra Groove dual profile tires, foam inserts) (intro rear electric front) (2) 3678 Tires, Anacondes 22" (20) foam inserts (2) 3790 Tires, Spiked 22 (20) (saftic prome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear electric front) (2) 3710 Tires, Tellow, Spiked 22 (20) (saftic prome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear electric front) (2) 3710 Tires, Anacondes 22" (20) (saftic prome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear electric front) (2) 3711 Tires, Anacondes 22" (20) (saftic prome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear electric front) (2) 3712 Wheel hubs, having (1) saftic prome (blue front) (2) (2) (1) saftic prome (2) (2) (2) (3) (3) (3) (3) (3) (3) (3) (3) (3) (3	3778			
sess Wheels, assembled, glued (chrome wheels, Terra Groove dul profile tires, foam inserts) (electric rear) (2) glove dul profile tires, foam inserts) (electric rear) (2) grow dul profile tires, foam inserts) (elitor rear) (electric front) (2) grow dul profile tires, foam inserts) (elitor rear) (electric front) (2) grow dul profile tires, foam inserts) (elitor rear) (electric front) (2) grow dul profile tires, foam inserts) (elitor rear) (electric rear) (2) grow dul profile tires, foam inserts) (elitor rear) (electric rear) (2) grow dul profile tires, foam inserts) (elitor rear) (electric rear) (2) grow dul profile tires, foam inserts) (elitor rear) (electric rear) (2) grow dul profile tires, foam inserts) (elitor rear) (electric rear) (2) grow dul profile tires, foam inserts) (elitor rear) (electric re				
sess by wheels, assembled, glued (chrome wheels, Torra Groove dual profile tires, foam inserts) (chrome) (chrom	3663X	•	8711	
dual profile tires, foam inserts) (nitro rear/ electric front) (2) Groove dual profile tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (stain chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (stain chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2) Tires & wheels, assembled, glued (stain chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2) Tires, Sipide 22 (R(2) (foam inserts) (2) Tires, Sipide dammered terra-septised (3) Tires, Sipide damm				
Tires & wheels, assembled, glued (satin chrome wheels, Torra Grove dual profile tires, foam inserts) (electric rear) (2) Fries, Anaconda® 2.8" (2) foam inserts) (2) Fries, Anaconda® 2.8" (2) foam inserts) (2) Fries, Anaconda® 2.8" (2) foam inserts (2) Fries, Spiked 2.2 (R(2) Soft Compound) wilnserts (3) Fries, Spiked 2.2 (R(2) Soft Compound) wilnserts (3) Fries, Spiked 2.2 (R(2) Soft Compound) wilnserts (4) Fries, Spiked 2.2 (R(2) Soft Compound) wilnserts (5) Fries, Spiked 2.2 (R(2) Soft Compound) wilnserts (7) Fries, Spiked 2.2 (R(2) Soft Compound) wilnserts (8) Fries, Spiked 2.2 (R(2)	3665X			
Groove dual profile tires, foam inserts) (electric rear) (2) 1768 & Tires, Assembled, glued (satin chrome wheels, Frera Groove dual profile tires, foam inserts) (nitro rear/ electric front) 271 (2) 1876 Tires, Anacondæ 2.8° (2) froam inserts) 1870 Tires, Sledghammer® terra-spiked (2) 1870 Tires, Sledghammer® terra-spiked (2) 1870 Tires, Slogled anamer® terra-spiked (2) 1870 Tires, Slogled anamer (2) 1870 Tires, Slogled anamer (2) 1870 Tires, Slogled (2) (2) (1901 Tires (2) 1870 Tires, Slogled (2) (2) (1901 Tires (2) 1870 Tires, Slogled (2) (2) (1901 Tires (2) 1870 Tires, Slogled (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	3663		8719	* **
Tires & wheels, assembled, glued (satin chrome wheels, Terra (c)	3003	· · · · · · · · · · · · · · · · · · ·	· · · · ·	
20	3665			the state of the s
177			8716	
Tires, Sledgehammer® terra-spiked (2) 3790R Tires, Talon 2.8" (2) Yoam inserts (2) 3671 Tires, Talon 2.8" (2) Yoam inserts (2) 3674 Wheel hubs, hex (rear) (2) Yisub axie pins (2) 3785 Wheel hubs, hex (rear) (2) Yisub axie pins (2) 3790 Tires, Spiked 2.2 (R(2) Soft Compound) winserts 3791 3792 Wheel hubs, hex (rear) (2) Yisub axie pins (2) Wheel hubs, hex (rear) (2) Yisub axie pins (2) Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / Wheel nuts, splined, 17mm (blue-anodized) (4) Wheels, All-Star 2.8" (black chrome) (lectric rear) (2) Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, All-Star 2.8" (chrome) (rear) (2) Star Plane (Rustler®, Stampede®, Stampede® rear only) Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, All-Star 2.8" (chrome) (Rus	5578		8716X	
Tires, Talon 2.8" (27) foam inserts (2) Wheel hubs, hex (front) (tall offset) (27) axle pins (2.5x12mm) (2) Wheel hubs, hex (front) (tall offset) (27) axle pins (2.5x12mm) (2) Wheel hubs, hex (front) (tall offset) (27) axle pins (2.5x12mm) (2) Wheel hubs, hex (front) (tall offset) (27) axle pins (2.5x12mm) (2) Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4) hub retainer M4 X 0.7 (4) axle pin (4) (Slash 2WD) Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheels, All-Star 2.8" (chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyable nylon 2.2" (front) (2) Wheels, dyable nylon 2.2" (front) (2) Wheels, dyable mylon 2.2" (front) (2) Wheels, dyable mylon 2.2" (front) (2) Transmission Committees Transmission Committees Transmission Committees Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear rubber gealed (5x11x4mm) (3x12mm)				·
Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 14" drive			8715	
Wheel hubs, hex (rear) (2) stub axie pins (2) Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheels, splined, 17mm (blue-anodized) (4) Wheels, All-Star 2.8" (black chrome) (2) (Rustler/Stampede front) Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (electric front) (2) Wheels, All-Star 2.8" (chrome) (chr			8715X	••
Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4) / hub retainer M4 X 0.7 (4) / axie pin (4) (Stash 2WD) (324 pin (4) (Stash 2WD) (325 pin (4) (Stash 2WD) (327 pin (4) (Stash 2WD) (328				
witeer firths, Splined, 17mm (blue-anotized) (4) Wheel nuts, splined, 17mm (blue-anotized) (4) Wheel wheel, splined, 17mm (blue-anotized) (4) Wheel wheel, splined, 17mm (blue-anotized) (4) Wheels, All-Star 2.8" (chrome) (2) (Rustler/Stampede front) 3772A Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, chrome (2.2") (rear) (2) Wheels, chrome (2.2") (rear) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyable nylon 2.2 (front) (2) Wheels, dyable nylon 2.2" (rear) (2) S572 Wheels, dyable nylon 2.2" (rear) (2) S573 Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) S574 Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) S575 Wheels, dyable nylon 2.2" (r			8714	, , ,
Sasa Wheel nuts, splined, 17mm (blue-anodized) (4)			27/8P	• • • •
Wheel Ms. Jamel. Thin., polined 17mm Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front) Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) Wheels, All-Star 2.8" (black chrome) (Rustler®, Stampede® rear only) Wheels, chrome (2.2") (rear) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyable nylon 2.2 (front) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Traismission Collision (SAR Mc) (2) Traismission Collision (SAR Mc) (2) Star Blad bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) Traismission Collision (SAR Mc) (2) Star Gearbox halves (L&R) (grey) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 30-tooth/ input shaft (transmission) (heavy duty) (fits Bandibe, Rustler®) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Wheels, All-Star 2.8" (black chrome) (electric rear) (2) Traismission (Park Chrome) (Park Chrom	ESES		274010	
Wheels, All-Star 2.8" (chrome) (2) (Rustler/Stampede front) 3415 3772A Wheels, All-Star 2.8" (black chrome) (electric rear) 3772 Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) 3772 Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) 3772 Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) 3772 Wheels, chrome (2.2") (rear) (2) 3673 Wheels, chrome 2.2" (front) (2) 3674 Wheels, dyable nylon 2.2" (front) (2) 5252R Wheels, dyable nylon 2.2" (rear) (2) 5253R Wheels, Jato® Twin-Spoke 2.8" (chrome) (feetric rear) (2) 5274 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5274 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5274 7742 7				
Wheels, All-Star 2.8" (black chrome) (electric rear) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) Wheels, Chrome (2.2") (rear) (2) Wheels, Chrome (2.2") (rear) (2) Wheels, Chrome (2.2") (rear) (2) Wheels, Chrome (2.2") (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (rear) (2) Tall Sill Soil Guillolis Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled wirth rod ends & hollow balls) (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, aluminum (red-anodized), camber link, rear, 49mm (1)			3415	
Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2) Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, chrome (2.2") (rear) (2) Wheels, chrome (2.2") (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2) Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) TITILISHINISTON GOILLE (Rear) (rear) (2) Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled wird ends)/hollow balls (2)(See part 3741A for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wird ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wird ends)/hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wird ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles (aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wird ends)/hollow balls (2) (See part 3741X for complete camber link set) Turnbuckles, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled wird ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, aluminum (blue-anodized), camber link, front, 39mm (2) (assembled wird ends & hollow balls) (See part 3741X for complete camber link set) Turnbuck		, , , , , , , , , , , , , , , , , , , ,		
Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, chrome (2.2") (rear) (2) Wheels, chrome (2.2" (front) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2) Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) Trailsiissioir Doililoi B Sall bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) Flat wrench, 8mm (blue anodized aluminum) Gearbox halves (L&R) (plack) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Grease, white lithium Input gear, 30-tooth/ idler gear shaft (steel) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Stampede®, Stampede®, Stampede®, Stampede®, Stampede®, Stampede®, Rustler®) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) (See part 3741X for complete camber links set) Turnbuckles, 3tmm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, 3tmm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, 3tmm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, 3tmm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber links) Turnbuckles, 3tmm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, 3tmm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, 3tmm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, 3tmm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, 78mm (optional	5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2))	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
Sero	3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)		
3674 Wheels, dyable nylon 2.2" (rear) (2) 3675 Wheels, dyeable nylon 2.2 (front) (2) 3774 Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2) 5572 Wheels, Jato® Twin-spoke 2.8" (chrome) (rear) (2) 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5573 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5574 Rod ends, long (6)/ hollow ball connectors (6) 7574 Rod ends, Revo® (large) with hollow balls (12) 7574 Rod ends, Revo® (large) with hollow balls (6) 7575 Rod ends, Revo® (large) with hollow balls (6) 7576 Rod ends, Short (6)/ hollow balls (6) 7577 Rod ends, Revo® (large) with hollow balls (6) 7578 Flat wrench, 8mm (blue anodized aluminum) 7590 Gear adapter, fixed 7591 Gearbox halves (L&R) (black) w/ idler gear shaft 7591 Gearbox halves (L&R) (grey) w/ idler gear shaft 7593 Gearbox halves (L&R) (grey) w/ idler gear shaft 7594 Idler gear, 30-tooth/ idler gear shaft (steel) 7594 Idler gear, 32-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) 7595 Input shaft (slipper shaft) / spring pin 7596 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 7597 Rod ends, heavy duty (Jato®/Slayer) (8) 7598 Rod ends, heavy duty (Jato® (12) and ends, hollow balls (12) 7594 Rod ends, heavy duty (Jato® (12) and ends, hollow balls (12) 7594 Rod ends, hollow balls (6) 7597 Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends & hollow balls) (See part 3741X for complete camber link set) 7598 Input shaft (slipper shaft) / spring pin 7599 Rod ends, heavy duty (Jato® (12) and ends, hollow balls (12) 7597 Rod ends, hollow balls (6) 7597 Rod ends, hollow balls (12) 7598 Rod ends, hollow balls (12) 7598 Rod ends, hollow balls (6) 7597 Rod ends, hollow balls (6) 7597 Rod ends, hollow balls (12) 7598 Rod ends, hollow balls (2) 7598 Rod ends, hollow balls (6) 7598 Rod ends, hollow balls (2) 7598 Rod ends, hollow balls (12) 7598 Rod ends, hollow balls (3672	Wheels, chrome (2.2") (rear) (2)	10:0	
Wheels, dyeable nylon 2.2 (front) (2) 3774 Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2) 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5742 Rod ends, long (6)/ hollow ball connectors (6) 8745 Rod ends, long (6)/ hollow ball connectors (6) 8746 Rod ends, long (6)/ hollow balls (12) 8747 Rod ends, long (6)/ hollow balls (12) 8748 Rod ends, long (6)/ hollow balls (12) 8749 Rod ends, long (6)/ hollow balls (12) 8748 Rod ends, long (6)/ hollow balls (12) 8748 Rod ends, long (6)/ hollow balls (12) 8749 Rod ends, long (6)/ hollow balls (12) 8748 Rod ends, long (6)/ hollow balls (12) 8749 Rod ends, long (6)/ hollow balls (12) 8748 Rod ends, long (6)/ hollow balls (12) 8748 Rod ends, long (6)/ hollow balls (12) 8749 Rod ends, long (6)/ hollow balls (12) 8748 Rod ends, long (6)/ hollow balls (12) 8748 Rod ends, long (6)/ hollow balls (12) 8749 Rod ends, long (6)/ hollow balls (12) 8749 Rod ends, long (6)/ hollow balls (12) 8742 Rod ends, long (6)/ hollow balls (2) 8744 Rod ends, long (6)/ hollow balls (12) 8742 Rod ends, long (1942	
3774 Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2) 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5574 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5575 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5576 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5577 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5578 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) 5574 Rod ends, Rova® (large) with hollow balls (12) 5774 Rod ends, Rova® (large) with hollow balls (12) 5775 Rod ends, Rova® (large) with hollow balls (12) 5776 Rod ends, Rova® (large) with hollow balls (12) 5776 Rod ends, Rova® (large) with hollow balls (12) 5777 Rod ends, Rova® (large) with hollow balls (12) 5778 Rod ends, Rova® (large) with hollow balls (12) 5778 Rod ends, Rova® (large) with hollow balls (12) 5779 Rod ends, Rova® (large) with hollow balls (2) (See part 3741A for complete camber link set) 578 Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) 578 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) 579 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) 579 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) 579 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls) (See part 3741			5525R	
Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2) Trillsiission Colling Sion Colli				
Trailsiission Collinguiss 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2) 3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2) 5478 Flat wrench, 8mm (blue anodized aluminum) 3790 Gear adapter, fixed 3691 Gearbox halves (L&R) (black) w/ idler gear shaft 3691 Gearbox halves (L&R) (grey) w/ idler gear shaft 3691 Grease, white lithium 5148 Grease, white lithium 59492 Idler gear, 30-tooth/ idler gear shaft (steel) 3696 Idler gear, steel (30-tooth) 1nput gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) 3793 Input shaft (slipper shaft) / spring pin 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment 2742X 3737A 373A 373A Rod ends, short (6)/ hollow balls (6) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (2) (assembled wirth rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles, (34mm) (2) / 3x6x4mm aluminum spacers (rear camber links) Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, 78mm (optional rear camber links, front, 39mm (2), rear, 49mm (2) (assembled wirth rod ends & h				, 0 , , , , , , , , , , , , , , , , , ,
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2) 3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2) 5478 Flat wrench, 8mm (blue anodized aluminum) 3790 Gear adapter, fixed 3691 Gearbox halves (L&R) (black) w/ idler gear shaft 3691A Gearbox halves (L&R) (grey) w/ idler gear shaft 3691A Grease, white lithium 5148 Grease, white lithium 5492 Idler gear, 30-tooth/ idler gear shaft (steel) 3696 Idler gear, steel (30-tooth) 9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) 3793 Input shaft (slipper shaft) / spring pin 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment				
Cover, gear/ rubber gear cover plug/ 3x6 RM (2) 5478 Flat wrench, 8mm (blue anodized aluminum) 3790 Gear adapter, fixed 3691 Gearbox halves (L&R) (black) w/ idler gear shaft 3691A Gearbox halves (L&R) (grey) w/ idler gear shaft 3691A Grease, white lithium 9492 Idler gear, 30-tooth/ idler gear shaft (steel) 3696 Idler gear, steel (30-tooth) 100 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) 3793 Input shaft (slipper shaft) / spring pin 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment 2378 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) 1937 Turnbuckles, 78mm (optional rear camber rods) (2) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment	5116	-	3737A	
Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium 10lder gear, 30-tooth/ idler gear shaft (steel) Idler gear, 30-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends / to ends)/hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled wirth rod ends		• • • • • • • • • • • • • • • • • • • •		, , , , ,
Gear dapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium 101 (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wirrod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wird ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wird ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wird ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled wird ends & hollow balls (2)(See part 3741X for complete camber link set) Turnbuckles, form, (2) (assembled wird ends & hollow balls)/werench Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, aluminum (blue-anodized), camber link, rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2), rear, 49mm (2),			3738A	
Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium 10 (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set) 11 (2) (30 (30 (30 (30 (30 (30 (30 (30 (30 (30	3790			(1) (assembled with rod ends & hollow balls) (See part 3741X for
Grease, white lithium 9492 Idler gear, 30-tooth/ idler gear shaft (steel) 3696 Idler gear, steel (30-tooth) 9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) 3793 Input shaft (slipper shaft) / spring pin 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ Weench			2727	
Idler gear, 30-tooth/ idler gear shaft (steel) 3738 complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, aluminum (blue-anodized), camber link, rear, 49mm (2)/ 3x6x4mm aluminum spacers (rear camber links) Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, aluminum (blue-anodized), camber link, rear, 49mm (2)/ 3x6x4mm aluminum spacers (rear camber links) Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, aluminum (blue-anodized), camber link, rear, 49mm (2)/ 3x6x4mm aluminum spacers (rear camber links)		, , , , , , ,	3/3/	
Idler gear, setal (30-tooth) 9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) 3793 Input shaft (slipper shaft) / spring pin 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) 1938 Turnbuckles, 78mm (optional rear camber rods) (2) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment				
Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) 3793 Input shaft (slipper shaft) / spring pin 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) 1938 Turnbuckles, 78mm (optional rear camber rods) (2) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment		- · · · · · · · · · · · · · · · · · · ·	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/		9 , , , ,		
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment camber links) Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	076-		1937	·
Stampede®, Rustler®) 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment 2336 Turnbuckles, 78mm (optional rear camber rods) (2) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/			1991	
Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	2381X		2336	·
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	1552		3741A	• • • • • • • • • • • • • • • • • • • •
shaft (1) all hardened steel		Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment		
		shaft (1) all hardened steel		

Stampede®: TQ™ 2.4 GHz radio (Model 36254-8) Parts List Page 7 Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) 2336A (requires 5mm aluminum wrench #5477) 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) 2336X (requires 5mm aluminum wrench #5477) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2)

If you have questions or need technical assistance, call Traxxas at:

(assembled with rod ends and hollow balls) (fits Stampede®)

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM