




MIN3508



Item No.	Volts (V)	Prop	Throttle	Amps (A)	Watts (W)	Thrust (G)	RPM	Efficiency (G/W)	Operating temperature(°C)
MN3508 KV380	14.8	T-MOTOR 14*4.8CF	50%	1.3	20	350	2700	17.50	43
			65%	2.9	41	560	3500	13.66	
			75%	4	58	700	4000	12.07	
			85%	5.2	76	840	4500	11.05	
			100%	6.3	92	940	4700	10.22	
		T-MOTOR 15*5CF	50%	1.6	25	430	2600	17.20	45
			65%	3.4	50	670	3400	13.40	
			75%	5	73	820	3800	11.23	
			85%	6.4	95	1000	4200	10.53	
			100%	7.5	110	1100	4500	10.00	
		T-MOTOR 16*5.4CF	50%	2	30	440	2500	14.67	46
			65%	3.9	58	700	3300	12.07	
			75%	5.9	87	900	4000	10.34	
			85%	7.6	110	1100	4500	10.00	
			100%	9	130	1220	4800	9.38	
	22.2	T-MOTOR 12*4CF	50%	1.7	40	430	4400	10.75	40
			65%	3.2	70	660	5400	9.43	
			75%	4.6	102	870	6200	8.53	
			85%	6.1	132	1040	6800	7.88	
			100%	7.1	157	1160	7300	7.39	
		T-MOTOR 13*4.4CF	50%	2.1	46	550	4300	11.96	47
			65%	3.7	83	810	5300	9.76	
			75%	5.5	120	1000	6000	8.33	
			85%	7.1	158	1300	6700	8.23	
			100%	8.4	185	1380	7040	7.46	
		T-MOTOR 14*4.8CF	50%	2.9	64	710	4300	11.09	63
			65%	5.3	118	1100	5300	9.32	
			75%	7.5	166	1350	5700	8.13	
			85%	9.8	217	1580	6000	7.28	
			100%	11.5	249	1730	6500	6.95	
		T-MOTOR 15*5CF	50%	3.6	80	820	3900	10.25	70
			65%	6.1	136	1200	4800	8.82	
			75%	9.5	200	1500	5300	7.50	
			85%	11.3	265	1700	5700	6.42	
			100%	13.3	297	1880	5900	6.33	

Notes: The test condition of temperature is motor surface temperature in 100% throttle while the motor run 10 min.

Notes: The test condition of temperature is motor surface temperature in 100% throttle while the motor run 10 min.

Notes: The test condition of temperature is motor surface temperature in 100% throttle while the motor run 10 min.

Notes: The test condition of temperature is motor surface temperature in 100% throttle while the motor run 10 min.

Notes: The test condition of temperature is motor surface temperature in 100% throttle while the motor run 10 min.



NAVIGATOR SERIES
T-MOTOR
MN3508-29 KV:380
MADE IN CHINA   RoHS

T-MOTOR
HIGH PERFORMANCE BRUSHLESS MOTORS





T-MOTOR
HIGH PERFORMANCE BRUSHLESS MOTORS



