

Mini Maxx® (Model 107154-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	10750	Driveshaft assembly (left or right, front or rear) (1) (fully assembled, ready to install)/ screw pin (1)
119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	10739	Shock tower, front
120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		
115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	10743	Steering bellcranks (2)/ draglink (1)/ steering link (1)
16A	Ball bearings, black rubber sealed (5x11x4mm) (2)	10736-BLK	Steering blocks, left & right (black)
14A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)	10736-BLUE	Steering blocks, left & right (blue)
	U , , , , , , , , , , , , , , , , , , ,	10736-GRAY	Steering blocks, left & right (gray)
719	Ball bearings, black rubber sealed (7x14x3.5mm) (2)	10736-GRN	Steering blocks, left & right (green)
03A	Ball bearings, black rubber sealed (7x14x5mm) (2)	10736-ORNG	Steering blocks, left & right (orange)
18A	Ball bearings, black rubber sealed (8x16x5mm) (2)	10736-RED	Steering blocks, left & right (red)
19	Ball bearings, blue rubber sealed (10x15x4mm) (2)	10731	Suspension arms, front (upper (2)/ lower left (1)/ lower right (1)
20	Ball bearings, blue rubber sealed (12x18x4mm) (2)	10740	Suspension screw pin set, front or rear (hardened steel), 3x40
16	Ball bearings, blue rubber sealed (5x11x4mm) (2)		(4), 3x32mm (4), 3x28mm (4), 3x46mm (2)
18	Ball bearings, blue rubber sealed (8x16x5mm) (2)		
15	Ball bearings, blue rubber shield (5x10x4mm) (2)		Hardware
14	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	10792	Hardware kit, Mini Maxx® (contains all hardware used on
			Maxx®)
	Body & Accessories	3965	Screws, 2.5x8mm cap-head machine (6)
720	Body reinforcement set (fits #10711 body)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
711	Body, Mini Maxx® (clear, requires painting)/ window masks/	2554	Screws, 3x6mm caphead machine (hex drive) (6)
	decal sheet	2577	Screws, 3x10mm button-head machine (hex drive) (6)
711X	Body, Mini Maxx®, ProGraphix® (graphics are printed,		
	requires paint & final color application)/ decals	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
		2578	Screws, 3x12mm button-head machine (hex drive) (6)
711-BLUE	Body, Mini Maxx®, blue (painted, decals applied)	2593	Screws, 3x14mm button-head machine (hex drive) (6)
711-GRN	Body, Mini Maxx®, green (painted, decals applied)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
711-ORNG	Body, Mini Maxx®, orange (painted, decals applied)	2580	Screws, 3x20mm button-head machine (hex drive) (6)
721	Latch, body mount, front & rear (for clipless body mounting)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
	(attaches to #10711 body)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
	Bumpers & Skidplates	2550	Screws, 3x8mm countersunk machine (6) (hex drive)
		2550 3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
735-BLKCR	Bumper, front (1)/ rear (1) (black chrome)		
735-BLK	Bumper, front (1)/ rear (1) (black)	10740	Suspension screw pin set, front or rear (hardened steel), 3x40
737	Skid plate, front (1), rear (1)		(4), 3x32mm (4), 3x28mm (4), 3x46mm (2)
			Motors & Electronics
	Chassis & Attachments		
724	Adapters, electronic speed control (inner (3), outer (3))	6588	Accessory power supply (regulated, 3V, 3 amp)/ power tap
726	Battery hold-down/ battery clip/ hold-down post		connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
728	Bulkhead, front (upper & lower)	3382	BL-2s [™] Brushless Power System, waterproof (includes BL-2s
729	Bulkhead, rear (upper & lower)		ESC & BL-2s™ 3300 motor)
722	Chassis	3383	BL-2s [™] Electronic Speed Control, waterproof (brushless)
			(fwd/rev/brake)
777	Covers, gear (1)/ receiver (1)/ center driveshaft (1)	10777	Covers, gear (1)/ receiver (1)/ center driveshaft (1)
0723	Nerf bars, chassis (2)	2053	Gear set (for 2055, 2056 servos)
0739	Shock tower, front	2072A	Gear set (for 2070, 2075 servos)
738	Shock tower, rear	2252	Gear set, metal (for 2250, 2255 servos)
	Differential Components	2272	Gear set, metal (for 2270 waterproof servo)
781	Carrier, differential (planetary gears)/ differential spacer/ o-rings	2287	Gear set, metal (for 2280 servo)
	(2)/ ring gear gasket	3384	Motor, BL-2s™ 3300, brushless
780	Differential assembly (bevel gear), front or rear, complete (fits	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250
	Mini Maxx®)		servo)
782	Gear set, differential (planetary) (output gears (2), spider gears	2253	Servo case, aluminum (middle) (red-anodized) (for 2255
	(4), spider gear shafts (4), differential spacers (2), output shaft (1),		servo)
	2.5x8.25mm pin (2))	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardwa
778	Ring gear, differential, 47-tooth/ pinion gear, differential, 12-tooth		(for 2250, 2255 servos)
-	(planetary) (front)	2271	Servo case/ gaskets (for 2270 waterproof servo)
779	Ring gear, differential, 47-tooth/ pinion gear, differential, 12-tooth	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
	(planetary) (rear)		
_		2075	Servo, digital high-torque (ball bearing), waterproof
	Driveline Components	2250	Servo, digital high-torque 330 coreless, metal gear (ball
753	Differential output yoke assembly, extreme heavy duty (2) (left or		bearing), waterproof
100	right, front or rear) (assembled with external-splined half shaft)/	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	screw pin		bearing), waterproof
750		2280	Servo, digital high-torque 600 brushless, metal gear (ball
750	Driveshaft assembly (left or right, front or rear) (1) (fully		bearing), waterproof
766	assembled, ready to install)/ screw pin (1)	2270	Servo, digital high-torque, metal gear (ball bearing),
755	Driveshaft, center, plastic (black)		waterproof
47	Nuts, 4mm flanged nylon locking, serrated (black) (10)	2056	Servo, high-torque, waterproof (blue case)
754	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or	3350R	Velineon® VXL-3s Brushless Power System, waterproof
	right) (assembled with internal-splined half shaft)		(includes VXL-3s waterproof ESC , Velineon® 3500 motor,
54	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)		and speed control mounting plate (part #3725))
	Front Suspension & Steering		
			Radio System, Batteries & Chargers
732-BLK	Caster blocks (c-hubs), left & right (black)	2825X	3500mAh 7.4V 2-Cell 25C LiPo Battery
732-BLUE	Caster blocks (c-hubs), left & right (blue)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
732-GRAY	Caster blocks (c-hubs), left & right (gray)	2330A	
732-GRN	Caster blocks (c-hubs), left & right (green)	2042	batteries to separate balance ports)
		2943	Battery charge indicators, green (4), grey (4), blue (4)
732-ORNG	Caster blocks (c-hubs), left & right (orange)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
732-RED	Caster blocks (c-hubs), left & right (red)		transmitter)
753	Differential output yoke assembly, extreme heavy duty (2) (left or	2914	Battery, Power Cell AA Alkaline (4)
	right, front or rear) (assembled with external-splined half shaft)/		

Page 2 Mini Maxx®: TQ 2.4 GHz Radio (Model 107154-1) Parts List

2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	5029 5038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification	5038	& 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification		Shocks (Ultra Shocks)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	3765A 1942	Body, Ultra Shock (long) (grey) (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
2985	Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	1942	screws (2)
	Battery Identification	2742X	Rod ends, short (6)/ hollow balls (6)
2920 2982	Charger, USB-C, 2s LiPo (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)	3767 8361	Shock caps (2)/ shock bottoms (2) Shock caps (black) (4) (assembled with hollow balls)
6512	Cover plate, Traxxas® Link Bluetooth® module	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra
2053	Gear set (for 2055, 2056 servos)		Shocks)
2072A 2252	Gear set (for 2070, 2075 servos)	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
2232	Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra
2287	Gear set, metal (for 2280 servo)	3767P	Shocks) Shock caps, aluminum (pink-anodized) (4) (fits all Ultra
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)		Shocks)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2912	Power adapter, AC, USB-C (45W) (110 volt, North America	2362 1664T	Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long)
2916	only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	10041	(2)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	1664	Shock shafts, steel, chrome finish (long) (2)
533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-	1765 3769	Silicone diaphragms (4)
2254	channel) Servo case, aluminum (middle) (blue-anodized) (for 2250	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-
	servo case, aluminum (midule) (blue-anouzed) (ior 2250 servo)		hole (2))
2253	Servo case, aluminum (middle) (red-anodized) (for 2255	2458P 2458A	Springs (front) (pink) (2) Springs (front) (white) (2)
2251	servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware	3757T	Springs, blue (rear) (2)
2231	(for 2250, 2255 servos)	2458	Springs, front (black) (2)
2271	Servo case/ gaskets (for 2270 waterproof servo)	5857P	Springs, front (pink) (progressive rate) (2)
2074 2075	Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof	5857 3757A	Springs, front (white) (progressive rate) (2) Springs, green (rear) (2)
2280	Servo, digital high-torque 600 brushless, metal gear (ball	3757P	Springs, pink (rear) (2)
	bearing), waterproof	3757	Springs, rear (black) (2)
2056 6509R	Servo, high-torque, waterproof (blue case) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas®	5858P 5858	Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2)
00001	Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with	10764	Springs, shock (natural finish) (2)
	Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5- ch micro receiver)	3757X 3760	Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	5760	spacers & springs) (front) (2)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)	3760-GRAY	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)		Spur Gears & Pinion Gears
	Ready-To-Race Model	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened
107154-1	Mini Maxx®: 4WD Brushless Electric Monster Truck with TQ™ 2.4GHz Radio System	3946X	steel) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
	Rear Suspension	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened
10752-BLK	Carriers, stub axle (black) (rear) (left & right)		steel) (fits 3mm shaft)/ set screw
10752-BLUE	Carriers, stub axle (blue) (rear) (left & right)	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
10752-GRAY	Carriers, stub axle (gray) (rear) (left & right)	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened
10752-GRN 10752-ORNG	Carriers, stub axle (green) (rear) (left & right) Carriers, stub axle (orange) (rear) (left & right)	30507	steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)
10752-RED	Carriers, stub axle (red) (rear) (left & right)	3950X	(fits 3mm shaft)/ set screw
10753	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
10750	screw pin Driveshaft assembly (left or right, front or rear) (1) (fully	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
10738	assembled, ready to install)/ screw pin (1) Shock tower, rear	10756	Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch)
10754	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or		Steering Components
10720	right) (assembled with internal-splined half shaft)	10745	Servo saver/ servo saver spring/ servo horn, steering
10730 10740	Suspension arms, rear (upper (2)/ lower left (1)/ lower right (1)) Suspension screw pin set, front or rear (hardened steel), 3x40mm	10743	Steering bellcranks (2)/ draglink (1)/ steering link (1)
	(4), 3x32mm (4), 3x28mm (4), 3x46mm (2)	10740	SIISIC ISIC ISIC ISIC ISIC ISIC ISIC IS
	Shock Oil	10740	(4), 3x32mm (4), 3x28mm (4), 3x46mm (2)
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	10742	Toe links, front (molded composite) (2)/ hollow balls (4) (61mm
5032 5033	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		center to center)
5033 5034	Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	0016	Team Traxxas Items
	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
5035 5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)		Silliai)

Page 3 Mini Maxx®: TQ 2.4 GHz Radio (Model 107154-1) Parts List

Page 3 M	lini Maxx®: TQ 2.4 GHz Radio (Model 107154-1) Pa
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)
	Tires & Wheels
10771-STBLK	Tires & wheels, assembled (black with satin beadlock wheels,
	dual profile (2.1" outer, 2.6" inner), Sledgehammer® tires, foam inserts)) (front) (2)
10771-GRAY	Tires & wheels, assembled (charcoal gray wheels, dual profile (2.1" outer, 2.6" inner), Sledgehammer® tires, foam inserts)) (front) (2)
10771-GRN	Tires & wheels, assembled (green wheels, dual profile (2.1" outer, 2.6" inner), Sledgehammer® tires, foam inserts)) (front) (2)
10770-STBLK	
10770-GRAY	Tires & wheels, assembled (charcoal gray wheels, dual profile (2.1" outer, 2.6" inner), Sledgehammer® tires, foam inserts)) (rear) (2)
10770-GRN	Tires & wheels, assembled (green wheels, dual profile (2.1" outer, 2.6" inner), Sledgehammer® tires, foam inserts)) (rear) (2)
	Traxxas Tools
24222	
3433X	Body reamer (aluminum handle)
3433 3436	Body reamer (plastic handle) Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece,
0.1.2	(straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U- joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM